

Package ‘poisDoubleSamp’

February 20, 2015

Version 1.1

Date 2015-02-03

Title Confidence Intervals with Poisson Double Sampling

Description Functions to create confidence intervals for ratios of Poisson rates under misclassification using double sampling.

URL <https://github.com/dkahle/poisDoubleSamp>

BugReports <https://github.com/dkahle/poisDoubleSamp/issues>

LinkingTo Rcpp

Imports Rcpp

License GPL-2

LazyData true

Author David Kahle [aut, cre],
Phil Young [aut],
Dean Young [aut]

Maintainer David Kahle <david.kahle@gmail.com>

NeedsCompilation yes

Repository CRAN

Date/Publication 2015-02-03 20:11:46

R topics documented:

approxMargMLE	2
approxMargMLECI	3
fullMLE	4
margMLE	5
margMLECI	7
poisDoubleSamp	8
profMLECI	8
waldCI	10

Index	12
--------------	-----------

 approxMargMLE

Compute the marginal MLE of phi

Description

Compute the marginal MLE of the ratio of two Poisson rates in a two-sample Poisson rate problem with misclassified data given fallible and infallible datasets.

Usage

```
approxMargMLE(data, N1, N2, N01, N02, l = 0, u = 1000, out = c("par",
  "all"), tol = 1e-10)
```

Arguments

data	the vector of counts of the fallible data (z11, z12, z21, z22) followed by the infallible data (m011, m012, m021, m022, y01, y02)
N1	the opportunity size of group 1 for the fallible data
N2	the opportunity size of group 2 for the fallible data
N01	the opportunity size of group 1 for the infallible data
N02	the opportunity size of group 2 for the infallible data
l	the lower end of the range of possible phi's (for optim)
u	the upper end of the range of possible phi's (for optim)
out	"par" or "all" (for the output of optim)
tol	tolerance parameter for the rmle EM algorithm

Value

a named vector containing the marginal mle of phi

Examples

```
## Not run:

# small example
z11 <- 34; z12 <- 35; N1 <- 10;
z21 <- 22; z22 <- 31; N2 <- 10;
m011 <- 9; m012 <- 1; y01 <- 3; N01 <- 3;
m021 <- 8; m022 <- 8; y02 <- 2; N02 <- 3;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

fullMLE(data, N1, N2, N01, N02)
margMLE(data, N1, N2, N01, N02)
approxMargMLE(data, N1, N2, N01, N02)
```

```

# big example :
z11 <- 477; z12 <- 1025; N1 <- 16186;
z21 <- 255; z22 <- 1450; N2 <- 18811;
m011 <- 38; m012 <- 90; y01 <- 15; N01 <- 1500;
m021 <- 41; m022 <- 200; y02 <- 9; N02 <- 2500;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

fullMLE(data, N1, N2, N01, N02)
# margMLE(data, N1, N2, N01, N02) # ~1 min
approxMargMLE(data, N1, N2, N01, N02)

## End(Not run)

```

approxMargMLECI

Compute the profile MLE CI of phi

Description

Compute the profile MLE confidence interval of the ratio of two Poisson rates in a two-sample Poisson rate problem with misclassified data given fallible and infallible datasets. This uses a C++ implementation of the EM algorithm.

Usage

```

approxMargMLECI(data, N1, N2, N01, N02, conf.level = 0.95, l = 0.001,
  u = 1000, tol = 1e-10)

```

Arguments

data	the vector of counts of the fallible data (z11, z12, z21, z22) followed by the infallible data (m011, m012, m021, m022, y01, y02)
N1	the opportunity size of group 1 for the fallible data
N2	the opportunity size of group 2 for the fallible data
N01	the opportunity size of group 1 for the infallible data
N02	the opportunity size of group 2 for the infallible data
conf.level	confidence level of the interval
l	the lower end of the range of possible phi's (for optim)
u	the upper end of the range of possible phi's (for optim)
tol	tolerance used in the EM algorithm to declare convergence

Value

a named vector containing the marginal mle of phi

Examples

```
## Not run:

# small example
z11 <- 34; z12 <- 35; N1 <- 10;
z21 <- 22; z22 <- 31; N2 <- 10;
m011 <- 9; m012 <- 1; y01 <- 3; N01 <- 3;
m021 <- 8; m022 <- 8; y02 <- 2; N02 <- 3;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

waldCI(data, N1, N2, N01, N02)
margMLECI(data, N1, N2, N01, N02)
profMLECI(data, N1, N2, N01, N02)
approxMargMLECI(data, N1, N2, N01, N02)

# big example :
z11 <- 477; z12 <- 1025; N1 <- 16186;
z21 <- 255; z22 <- 1450; N2 <- 18811;
m011 <- 38; m012 <- 90; y01 <- 15; N01 <- 1500;
m021 <- 41; m022 <- 200; y02 <- 9; N02 <- 2500;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

waldCI(data, N1, N2, N01, N02)
margMLECI(data, N1, N2, N01, N02)
profMLECI(data, N1, N2, N01, N02)
approxMargMLECI(data, N1, N2, N01, N02)

## End(Not run)
```

fullMLE

Compute the full MLEs

Description

Compute the MLEs of a two-sample Poisson rate problem with misclassified data given fallible and infallible datasets.

Usage

```
fullMLE(data, N1, N2, N01, N02)
```

Arguments

data the vector of counts of the fallible data (z11, z12, z21, z22) followed by the infallible data (m011, m012, m021, m022, y01, y02)

N1	the opportunity size of group 1 for the fallible data
N2	the opportunity size of group 2 for the fallible data
N01	the opportunity size of group 1 for the infallible data
N02	the opportunity size of group 2 for the infallible data

Details

These are the closed-form expressions for the MLEs.

Value

a named vector containing the mles of each of the parameters (ϕ , $la12$, $la21$, $la22$, $th1$, and $th2$)

Examples

```
## Not run:

# small example
z11 <- 34; z12 <- 35; N1 <- 10;
z21 <- 22; z22 <- 31; N2 <- 10;
m011 <- 9; m012 <- 1; y01 <- 3; N01 <- 3;
m021 <- 8; m022 <- 8; y02 <- 2; N02 <- 3;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

fullMLE(data, N1, N2, N01, N02)

# big example :
z11 <- 477; z12 <- 1025; N1 <- 16186;
z21 <- 255; z22 <- 1450; N2 <- 18811;
m011 <- 38; m012 <- 90; y01 <- 15; N01 <- 1500;
m021 <- 41; m022 <- 200; y02 <- 9; N02 <- 2500;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

fullMLE(data, N1, N2, N01, N02)

## End(Not run)
```

margMLE

Compute the marginal MLE of ϕ

Description

Compute the marginal MLE of the ratio of two Poisson rates in a two-sample Poisson rate problem with misclassified data given fallible and infallible datasets.

Usage

```
margMLE(data, N1, N2, N01, N02, l = 0.001, u = 1000, out = c("par",
  "all"))
```

Arguments

data	the vector of counts of the fallible data (z11, z12, z21, z22) followed by the infallible data (m011, m012, m021, m022, y01, y02)
N1	the opportunity size of group 1 for the fallible data
N2	the opportunity size of group 2 for the fallible data
N01	the opportunity size of group 1 for the infallible data
N02	the opportunity size of group 2 for the infallible data
l	the lower end of the range of possible phi's (for optim)
u	the upper end of the range of possible phi's (for optim)
out	"par" or "all" (for the output of optim)

Value

a named vector containing the marginal mle of phi

Examples

```
## Not run:

# small example
z11 <- 34; z12 <- 35; N1 <- 10;
z21 <- 22; z22 <- 31; N2 <- 10;
m011 <- 9; m012 <- 1; y01 <- 3; N01 <- 3;
m021 <- 8; m022 <- 8; y02 <- 2; N02 <- 3;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

fullMLE(data, N1, N2, N01, N02)
margMLE(data, N1, N2, N01, N02)

# big example :
z11 <- 477; z12 <- 1025; N1 <- 16186;
z21 <- 255; z22 <- 1450; N2 <- 18811;
m011 <- 38; m012 <- 90; y01 <- 15; N01 <- 1500;
m021 <- 41; m022 <- 200; y02 <- 9; N02 <- 2500;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

fullMLE(data, N1, N2, N01, N02)
margMLE(data, N1, N2, N01, N02)
```

```
## End(Not run)
```

```
margMLECI Compute the marginal MLE confidence interval for the phi
```

Description

Compute the marginal MLE confidence interval of the ratio of two Poisson rates in a two-sample Poisson rate problem with misclassified data given fallible and infallible datasets.

Usage

```
margMLECI(data, N1, N2, N01, N02, conf.level = 0.95, l = 1e-10, u = 1e+10)
```

Arguments

data	the vector of counts of the fallible data (z11, z12, z21, z22) followed by the infallible data (m011, m012, m021, m022, y01, y02)
N1	the opportunity size of group 1 for the fallible data
N2	the opportunity size of group 2 for the fallible data
N01	the opportunity size of group 1 for the infallible data
N02	the opportunity size of group 2 for the infallible data
conf.level	confidence level of the interval
l	the lower end of the range of possible phi's (for optim)
u	the upper end of the range of possible phi's (for optim)

Value

a named vector containing the lower and upper bounds of the confidence interval

Examples

```
## Not run:

# small example
z11 <- 34; z12 <- 35; N1 <- 10;
z21 <- 22; z22 <- 31; N2 <- 10;
m011 <- 9; m012 <- 1; y01 <- 3; N01 <- 3;
m021 <- 8; m022 <- 8; y02 <- 2; N02 <- 3;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

waldCI(data, N1, N2, N01, N02)
margMLECI(data, N1, N2, N01, N02)
profMLECI(data, N1, N2, N01, N02)
approxMargMLECI(data, N1, N2, N01, N02)
```

```

# big example :
z11 <- 477; z12 <- 1025; N1 <- 16186;
z21 <- 255; z22 <- 1450; N2 <- 18811;
m011 <- 38; m012 <- 90; y01 <- 15; N01 <- 1500;
m021 <- 41; m022 <- 200; y02 <- 9; N02 <- 2500;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

waldCI(data, N1, N2, N01, N02)
margMLECI(data, N1, N2, N01, N02)
profMLECI(data, N1, N2, N01, N02)
approxMargMLECI(data, N1, N2, N01, N02)

```

```
## End(Not run)
```

poisDoubleSamp	<i>poisDoubleSamp : Confidence intervals with Poisson double sampling</i>
----------------	---

Description

Functions to create confidence intervals for ratios of Poisson rates under misclassification using double sampling.

profMLECI	<i>Compute the profile MLE CI of phi</i>
-----------	--

Description

Compute the profile MLE confidence interval of the ratio of two Poisson rates in a two-sample Poisson rate problem with misclassified data given fallible and infallible datasets. This uses a C++ implementation of the EM algorithm.

Usage

```
profMLECI(data, N1, N2, N01, N02, conf.level = 0.95, l = 0.001, u = 1000,
  tol = 1e-10)
```

Arguments

data	the vector of counts of the fallible data (z11, z12, z21, z22) followed by the infallible data (m011, m012, m021, m022, y01, y02)
N1	the opportunity size of group 1 for the fallible data
N2	the opportunity size of group 2 for the fallible data

N01	the opportunity size of group 1 for the infallible data
N02	the opportunity size of group 2 for the infallible data
conf.level	confidence level of the interval
l	the lower end of the range of possible phi's (for optim)
u	the upper end of the range of possible phi's (for optim)
tol	tolerance used in the EM algorithm to declare convergence

Value

a named vector containing the marginal mle of phi

Examples

```
## Not run:

# small example
z11 <- 34; z12 <- 35; N1 <- 10;
z21 <- 22; z22 <- 31; N2 <- 10;
m011 <- 9; m012 <- 1; y01 <- 3; N01 <- 3;
m021 <- 8; m022 <- 8; y02 <- 2; N02 <- 3;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

waldCI(data, N1, N2, N01, N02)
margMLECI(data, N1, N2, N01, N02)
profMLECI(data, N1, N2, N01, N02)
approxMargMLECI(data, N1, N2, N01, N02)

# big example :
z11 <- 477; z12 <- 1025; N1 <- 16186;
z21 <- 255; z22 <- 1450; N2 <- 18811;
m011 <- 38; m012 <- 90; y01 <- 15; N01 <- 1500;
m021 <- 41; m022 <- 200; y02 <- 9; N02 <- 2500;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

waldCI(data, N1, N2, N01, N02)
margMLECI(data, N1, N2, N01, N02)
profMLECI(data, N1, N2, N01, N02)
approxMargMLECI(data, N1, N2, N01, N02)

## End(Not run)
```

 waldCI

Compute the Wald confidence interval

Description

Compute the Wald confidence interval of a two-sample Poisson rate with misclassified data given fallible and infallible datasets.

Usage

```
waldCI(data, N1, N2, N01, N02, conf.level = 0.95)
```

Arguments

data	the vector of counts of the fallible data (z11, z12, z21, z22) followed by the infallible data (m011, m012, m021, m022, y01, y02)
N1	the opportunity size of group 1 for the fallible data
N2	the opportunity size of group 2 for the fallible data
N01	the opportunity size of group 1 for the infallible data
N02	the opportunity size of group 2 for the infallible data
conf.level	confidence level of the interval

Value

a named vector containing the lower and upper bounds of the confidence interval

Examples

```
## Not run:

# small example
z11 <- 34; z12 <- 35; N1 <- 10;
z21 <- 22; z22 <- 31; N2 <- 10;
m011 <- 9; m012 <- 1; y01 <- 3; N01 <- 3;
m021 <- 8; m022 <- 8; y02 <- 2; N02 <- 3;
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)

waldCI(data, N1, N2, N01, N02)
margMLECI(data, N1, N2, N01, N02)
profMLECI(data, N1, N2, N01, N02)
approxMargMLECI(data, N1, N2, N01, N02)

# big example :
z11 <- 477; z12 <- 1025; N1 <- 16186;
z21 <- 255; z22 <- 1450; N2 <- 18811;
m011 <- 38; m012 <- 90; y01 <- 15; N01 <- 1500;
```

```
m021 <- 41; m022 <- 200; y02 <- 9; N02 <- 2500;  
data <- c(z11, z12, z21, z22, m011, m012, m021, m022, y01, y02)
```

```
waldCI(data, N1, N2, N01, N02)  
margMLECI(data, N1, N2, N01, N02)  
profMLECI(data, N1, N2, N01, N02)  
approxMargMLECI(data, N1, N2, N01, N02)
```

```
## End(Not run)
```

Index

approxMargMLE, [2](#)
approxMargMLECI, [3](#)

fullMLE, [4](#)

margMLE, [5](#)
margMLECI, [7](#)

package-poisDoubleSamp
 (poisDoubleSamp), [8](#)
poisDoubleSamp, [8](#)
poisDoubleSamp-package
 (poisDoubleSamp), [8](#)
profMLECI, [8](#)

waldCI, [10](#)