

Package ‘splus2R’

January 30, 2021

Title Supplemental S-PLUS Functionality in R

Version 1.3-3

Depends R (>= 2.7.2)

Imports methods

Description Currently there are many functions in S-PLUS that are missing in R. To facilitate the conversion of S-PLUS packages to R packages, this package provides some missing S-PLUS functionality in R.

URL <https://github.com/spkaluzny/splus2r>

BugReports <https://github.com/spkaluzny/splus2r/issues>

License GPL-2

Collate Swrappers.R peaks.R bits.per.integer.R doTest.R muS2RC.R
showStructure.R sigseriesS3.R sigseriesS4.R splus2R_is.R
splus2R_pkg.R

NeedsCompilation yes

Author William Constantine [aut],
Tim Hesterberg [aut],
Knut Wittkowski [ctb],
Tingting Song [ctb],
Bill Dunlap [ctb],
Stephen Kaluzny [ctb, cre]

Maintainer Stephen Kaluzny <spkaluzny@gmail.com>

Repository CRAN

Date/Publication 2021-01-30 06:20:16 UTC

R topics documented:

allTrue	2
anyMissing	4
as.rectangular	4
asSeriesData	5
bits.per.integer	6

collIds	6
deparseText	7
do.test	8
expectStop	10
ifelse1	12
is.inf	13
is.missing	14
is.number	15
is.orderable	15
is.rectangular	16
isNumericAtomicVector	17
lowerCase	18
MC	18
nDotArgs	19
numCols	20
numericSequence	20
numericSequence-methods	21
oldUnclass	22
peaks	23
positions	24
rmvnorm	24
seriesData	25
seriesDataNew	26
seriesDataValid	27
showStructure	27
signalSeries	29
signalSeries-methods	30
stdev	31
subscript2d	31
vecnorm	32
which.na	33
Index	35

allTrue

Test whether all expressions return TRUE

Description

This is typically used to combine multiple [all.equal](#) tests into a single test, in a test file called by [do.test](#).

Usage

```
allTrue(...)
```

Arguments

... Each argument is typically a call to `do.test` or another expression that returns a logical value.

Details

This is intended for use in test run by `do.test`. A typical test may contain lines that create one or more objects, followed by commands to check that those objects have the expected structure and/or that calculations were correct. By using `allTrue`, the tests can all be combined into the same expression that created the objects, so that if an error occurs it is easier to see where it occurred.

Value

if all inputs are TRUE the value is TRUE. Otherwise a list indicating which arguments did not return TRUE, containing the actual values.

Author(s)

Tim Hesterberg

See Also

[all.equal](#), [do.test](#), [expectStop](#), [expectWarnings](#), [identical](#).

Examples

```
# This is the type of expression that may be found in a test file
# to be run by do.test -- inside {} are lines that create one or
# more objects, followed by multiple tests (inside allTrue) that
# check those objects.
{
  y <- rnorm(30)
  x <- matrix(rnorm(60), ncol=2)
  fit <- lm(y~x)
  allTrue(# are important components included?
    all(is.element(c("coefficients", "residuals", "effects", "rank",
      "fitted.values", "assign", "df.residual", "call"),
      names(fit))),
    {
      # do coefficients match the algebraic form?
      # The algebraic form is inaccurate, so allow greater tolerance
      X <- cbind(1, x)
      all.equal(unname(fit$coefficients),
        drop(solve( t(X) %*% X, t(X) %*% y)),
        tol = 1e-5)
    },
    # are residuals computed correctly?
    all.equal(fit$residuals, y - X %*% fit$coefficients))
}
# The second test uses 'unname' to remove names and 'drop' to change a
# matrix to a vector, so the test should pass.
```

```
# The third test fails because fit$residuals is a vector with names
# while the %*% calculation returns a matrix.
```

anyMissing	<i>Returns TRUE if missing values are round, otherwise FALSE</i>
------------	--

Description

Detection of missing values.

Usage

```
anyMissing(x)
```

Arguments

x any object (though not all are currently supported).

Value

logical, TRUE is missing values are detected.

See Also

[is.missing](#), [which.na](#).

Examples

```
anyMissing(1:5)
anyMissing(c(1, NA, 2))
anyMissing(list(a=1:3, b=NA))
anyMissing(data.frame(a=1:3, b=c(NA, 5:6)))
```

as.rectangular	<i>Convert to rectangular object</i>
----------------	--------------------------------------

Description

Rectangular data objects include matrices, data frames, and atomic vectors.

Arguments

x object to be converted to rectangular data.
 i first (row) subscript
 j second (column) subscript.

Value

as.rectangular(x) returns x if x is already rectangular, or as.data.frame(x) if it is not.

See Also

[is.rectangular](#).

Examples

```
##  
as.rectangular(list(a=1:10, b=11:20))
```

asSeriesData

Convert to a seriesData

Description

Essentially just converts data to rectangular form, if possible.

Usage

```
asSeriesData(x)
```

Arguments

x input object to coerce.

Value

rectangular conversion of input argument.

See Also

[numericSequence](#), [seriesData](#), [seriesDataNew](#), [seriesDataValid](#), [signalSeries](#), [as.data.frame.signalSeries](#), [as.matrix.signalSeries](#), [cumsum.signalSeries](#), [deltat.signalSeries](#), [diff.signalSeries](#), [plot.signalSeries](#).

bits.per.integer *Internal Size of an integer*

Description

Reports the size of an integer in bits.

Usage

```
bits.per.integer()
```

Details

Included for S-PLUS compatibility; R currently uses 32-bit integers, even on 64-bit machines.

Author(s)

Dunlap, W.M., and Taylor, C.F.

Examples

```
bits.per.integer()
```

colIds *Column and row summary function*

Description

Summarizes the columns or rows of a rectangular object.

Usage

```
colIds(x, do.NULL=TRUE, prefix="col")
colMaxs(x, na.rm = FALSE, dims = 1, n = NULL)
colMedians(x, na.rm=FALSE)
colMins(x, na.rm = FALSE, dims = 1, n = NULL)
colRanges(x, na.rm = FALSE, dims = 1, n = NULL)
colVars(x, na.rm=FALSE, dims = 1, unbiased = TRUE,
        SumSquares = FALSE, weights = NULL, freq = NULL, n = NULL)
rowIds(x, do.NULL=TRUE, prefix="row")
rowMaxs(x, na.rm = FALSE, dims = 1, n = NULL)
rowMins(x, na.rm = FALSE, dims = 1, n = NULL)
rowRanges(x, na.rm = FALSE, dims = 1, n = NULL)
```

Arguments

x	rectangular input object such as a matrix or data.frame.
dims	if x has dimension higher than 2, dims determines what dimensions are summarized.
do.NULL	logical for rowIds or colIds.
n	number of rows; treat x as a matrix with n rows.
na.rm	logical, NA values are removed if TRUE.
prefix	character string preface for column IDs returned by rowIds or colIds.
unbiased	logical, unbiased variance estimates returned if TRUE.
SumSquares	logical, sums of squares are returned if TRUE.
weights, freq	unsupported, here for backwards compatibility.

Value

corresponding summary by row or by column.

See Also

See 'aggregate' package for alternative definitions of colStdevs, colVars, rowStdevs and rowVars functions.

Examples

```
## create a matrix, add dimensions, and obtain
## various summaries
x <- matrix(sin(1:20), nrow=4)
dimnames(x) <- list(c("a","b","c","d"), paste("col", 1:5))
colIds(x)
colMaxs(x)
colMedians(x)
colMins(x)
colRanges(x)
rowIds(x)
rowMaxs(x)
rowMins(x)
rowRanges(x)
```

deparsedText

Deparses input argument

Description

Deparse the argument into a single string, with at most maxchars characters. New lines are turned into blanks, and truncated results end in "...".

Usage

```
deparseText(expr, maxchars=30)
```

Arguments

expr	any expression.
maxchars	maximum number of characters returned

Value

deparsed character string.

Examples

```
deparseText(args(1m), maxchars=20)
```

do.test

Test Functions and Expressions - for automated testing

Description

Expressions are parsed and evaluated from file. Each expression should evaluate to a logical TRUE. Otherwise, do.test() prints the expression and its value.

Usage

```
do.test(file, verbose=FALSE, strict=FALSE, local=FALSE, check)
```

Arguments

file	a file or connection containing code to test.
verbose	logical flag. If TRUE, all expressions are printed, not just those that fail. Regardless of this flag, the value is also printed for failures.
strict	logical flag. If TRUE, any validity failures cause an error; that is, you get to debug after the first failed assertion.
local	logical flag controlling where the evaluation takes place: by default (local=FALSE), in the environment that called do.test, typically the global environment, (objects created remain there after do.test is finished). local=TRUE, causes do.test to create and work in a new environment.
check	an unevaluated expression. If check is supplied, do.test evaluates this expression (it should be given via Quote()) between each parse and evaluation. (This is for when you need to check some global information.)

Details

A test file typically contains a sequence of expressions to test different aspects of a function or set of functions, including testing that each input argument is handled appropriately, error handling, the output has the expected structure, correct output under a number of combinations of inputs, and error handling (warning and stop invoked when appropriate and with appropriate messages). Each expression may contain multiple lines grouped using {}, where early lines may do computations and the last line checks for expected results, usually using [all.equal](#).

Some expressions may be included that aren't intended to test anything by finishing them with TRUE, e.g. to read data: {read.table("data.txt"); TRUE} or to remove objects at the end of a test file: {rm(a,b,x,y); TRUE}.

We recommend including comments inside expressions to indicate the purpose of each test; then if errors occur the comments are printed too.

To compare just numbers, not names or matrix dimensions, functions [unname](#) and [drop](#) are useful.

To exclude certain components or attributes from the comparison the function [all.equal.excluding](#) is useful. This is defined in the examples below.

Each test should run silently if everything is working correctly; there should be nothing printed. [expectWarnings](#) can be used to intercept [warning](#) statements.

Value

NULL

See Also

[all.equal](#), [allTrue](#), [drop](#), [expectStop](#), [expectWarnings](#), [identical](#), [Quote](#), [unname](#)

Examples

```
## Not run:
# Create a toy test file, and run it
cat('{all.equal(24/8, 3)}',
     '{all.equal(5, 6)}',      # this one will fail
     'expectWarnings( { # Test subscript replacement ',
     ' x <- data.frame(a=1:3,b=2:4)',
     ' x[,3] <- x',
     ' all.equal(ncol(x), 3)',
     '}, expected = "provided 2 variables to replace 1 var")',
     'expectStop(lm(5), expected = "invalid formula")',
     '{ rm(x) ; TRUE }',      # cleanup at end of test
     sep="\n", file = "testfile.t")
do.test("testfile.t")
## ----- Test file: testfile.t -----
## {all.equal(5, 6)}
## [1] "Mean relative difference: 0.2"
#
# The test that fails is printed, with the results of the test.
# In R 2.6.1 the subscript replacement test above also fails
# (bug reported 14 Jan 2008), resulting in the additional printout:
## expectWarnings( {
```

```

## x <- data.frame(a=1:3,b=2:4)
## x[,3] <- x
## all.equal(ncol(x), 3)
## }, expected = "provided 2 variables to replace 1 var")
## `$`Test result`
## [1] "Mean relative difference: 0.25"

## End(Not run)

# This function is useful in some tests:
all.equal.excluding <- function(x, y, ..., excluding=NULL, attrs=NULL){
  # Like all.equal, but exclude components in `excluding`,
  # and excluding attributes named in `attrs`.
  #
  # `excluding` and `attrs` should be character, names of components
  # and attributes.
  #
  # For example:
  # all.equal.excluding(obj1, obj2, excluding = c("call", "x"))
  for(i in intersect(names(x), excluding)) x[[i]] <- NULL
  for(i in intersect(names(y), excluding)) y[[i]] <- NULL
  for(i in intersect(names(attributes(x)), attrs)) attr(x,i) <- NULL
  for(i in intersect(names(attributes(y)), attrs)) attr(y,i) <- NULL
  all.equal(x,y, ...)
}
# Test if two objects are the same except for "call" and "x":
data <- data.frame(x = 1:20, y = exp(1:20/20))
fit1 <- lm(y ~ x, data = data, x=TRUE)
fit2 <- update(fit1, x=)
all.equal.excluding(fit1, fit2, excluding = c("call", "x"))

```

expectStop

Test whether expected stop() or warning() messages are produced.

Description

These functions are for use in automated testing using `do.test`, to test whether function give specified stop and warning messages.

Usage

```

expectStop(expr, expected = NULL)
expectWarnings(expr, expected)

```

Arguments

<code>expr</code>	An expression, that should result in a call to <code>stop()</code> or <code>warning()</code> .
<code>expected</code>	NULL, or a character string containing (part of) the message expected from <code>stop</code> . For <code>expectWarnings</code> a vector of character strings containing (parts of) all expected warnings.

Details

expectStop is useful for checking error checking; that a function stops when it should, and gives the right message. For example, this may be in a file called by do.test:

```
{
  expectStop(var(1:5, 1:4),
             if(is.R()) "incompatible"
             else "x and y must have the same number of")
}
```

The function returns TRUE if

- a stop() occurs, and
- the error message is expected.

Otherwise it returns appropriate messages.

expectStop intercepts the error. Execution continues, and assignments made earlier are committed. Similarly, expectWarnings is useful to check that a function gives appropriate warnings. For example, this may be in a file called by do.test:

```
expectWarnings(
  {
    object1 <- (code generating warning messages);
    object2 <- (code generating possibly other warning messages);
    all.equal(object1, object2)
  },
  c("expected warning 1",
    "expected warning 2"))
```

The function returns TRUE if

- expr evaluates to TRUE; and
- each warning message produced by evaluating expr contains as a substring an element of expected, and each element of expected is a substring of at least one of the produced warning messages.

Otherwise it returns a list with components describing the test failures. Normal printing of warning messages is suppressed.

It is possible to test for warnings and a stop in a single expression, by nesting calls to the two functions.

Value

If all tests pass, then TRUE. Otherwise expectStop returns character strings describing the failure, while expectWarnings returns a list with one or more of the following components:

- 'Test result' the value (if not TRUE) returned by evaluating expr.
- 'Unexpected warnings' character vector of actual warning messages that were not listed in expected.
- 'Warnings expected but not found' character vector of messages in expected that were not produced.

Author(s)

Tim Hesterberg

See Also[do.test](#)**Examples**

```
# Expressions like the following would typically be included in a file
# that is called by do.test

expectStop(lm(5), expected = "invalid formula")

expectStop(cov2cor( matrix(2:1) ),
            expected = "'V' is not a square numeric matrix")

expectWarnings( # Test subscript replacement; should discard extra
                # column and give a warning
                {
                  x <- data.frame(a=1:3,b=2:4)
                  x[,3] <- x
                  all.equal(ncol(x), 3)
                },
                expected = "provided 2 variables to replace 1 var")

# Test for a warning and stop together:
{
  f <- function(x){
    warning("a warning")
    stop("a stop")
  }
  expectStop( expectWarnings( f(3), expected = "a warning"),
              expected = "a stop")
}
# The definition of f and the call to expectStop are included here
# within {} because that is how they would typically be grouped in
# a file that is called by do.test. Also note that f has been saved
# (the assignment of f is committed, rather than aborted).
```

ifelse1

Conditional Data Selection

Description

This is equivalent to `{if(test) x else y}`. The main advantage of using this function is better formatting, and a more natural syntax when the result is being assigned; see examples below.

With 5 arguments, this is equivalent to `{if(test1) x else if(test2) u else v}` (where arguments are given by name, not position).

Usage

```
ifelse1(test, x, y, ...)
```

Arguments

test	logical value; if TRUE return x.
x	any object; this is returned if test is TRUE.
y	any object; this is returned if test is FALSE.
...	there should be 3, 5, 7, etc. arguments to this function; arguments 1, 3, 5, etc. should be logical values; the other arguments (even numbered, and last) are objects that may be returned.

Details

test should be a scalar logical, and only one of x or y is evaluated, depending on whether test = TRUE or test = FALSE, and x and y may be any objects. In contrast, for ifelse, test is normally a vector, both x and y are evaluated, even if not used, and x and y are vectors the same length as test.

Value

with three arguments, one of x or y. With k arguments, one of arguments 2, 4, ..., k-1, k.

See Also

[ifelse](#), [if](#).

Examples

```
ifelse1(TRUE, "cat", "dog")
ifelse1(FALSE, "one", FALSE, "two", "three")
```

is.inf

Infinite

Description

is.inf returns a vector of the same length as the input object, indicating which elements are infinite (not missing).

Usage

```
is.inf(x)
```

Arguments

x	object to be tested
---	---------------------

Details

This calls `is.infinite`.

This returns a vector of the same length as `x`; the `j`th element is TRUE if `x[j]` is infinite (i.e., equal to one of `Inf` or `-Inf`). This will be FALSE if `x` is not numeric or complex. Complex numbers are infinite if either the real and imaginary part is.

See Also

[is.infinite](#)

Examples

```
is.inf(Inf)
# [1] TRUE
is.inf(NA)
# [1] FALSE
is.inf(1)
# [1] FALSE
```

is.missing

Check for missing values

Description

Check to see whether the input is either NA or a vector of length 0.

Usage

```
is.missing(x)
```

Arguments

`x` object to check.

Value

TRUE if the input is a vector of length 0; `is.na(x)` otherwise.

See Also

[anyMissing](#).

Examples

```
is.missing(numeric(0))
is.missing(NA)
is.missing(c(1,2,3,NA,5))
```

`is.number`*Check Values*

Description

Returns a logical vector describing if a numeric elements is a number.

Usage

```
is.number(x)
```

Arguments

x numeric vector

Details

`is.number` is TRUE if the value is numeric or complex and is not missing (NA or NaN).

Examples

```
is.number(32)
# [1] TRUE
is.number(matrix(1:20, nrow=2))
#      [,1] [,2] [,3] [,4] [,5] [,6] [,7] [,8] [,9] [,10]
# [1,] TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
# [2,] TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE
is.number(list(matrix(1:20, nrow=2), 1:4))
# [1] TRUE TRUE
is.number('s')
# [1] TRUE
```

`is.orderable`*If a value can be ordered*

Description

`is.orderable(x)` returns `!is.na()`.

Usage

```
is.orderable(x)
```

Arguments

x object to be tested.

Details

x should not be a list; in that case the behavior currently differs between S-PLUS and R.

Value

is.orderable returns a logical vector of the same length as x.

See Also

[is.na](#)

Examples

```
x <- c(1, 4, NA, 0, 5)
is.orderable(x)
# [1] TRUE TRUE FALSE TRUE TRUE
```

is.rectangular	<i>Checks for object rectangularity</i>
----------------	---

Description

Returns TRUE if the input object is rectangular.

Usage

```
is.rectangular(x)
```

Arguments

x any object.

Value

logical, returns TRUE if input object is rectangular.

See Also

[as.rectangular](#).

Examples

```
is.rectangular(matrix(1:12, nrow=3))
is.rectangular(list(1:3,2:4))
is.rectangular(as.rectangular(list(1:3,2:4)))
```

isNumericAtomicVector *Tests whether an object is a vector or not*

Description

The `is.vector` function returns a FALSE value in some cases where intuitively one might expect a TRUE value to be returned. For example, `is.vector(z)` returns FALSE for each of the following:

- i** `z <- 1:3; names(z) <- 1:3`
- ii** `z <- matrix(1:3, nrow=1)`
- iii** `z <- matrix(1:3, ncol=1)`

These results are not necessarily incorrect, they are just one interpretation of the definition of a vector. Contrarily, the `isNumericAtomicVector(z)` function returns TRUE for each of the above examples. Thus, `isNumericAtomicVector` expands the basic definition of a vector to allow matrices containing a single row or column and named vectors. Also, unlike `is.vector`, `isNumericAtomicVector` returns FALSE for objects of class `list`.

Usage

```
isNumericAtomicVector(x)
```

Arguments

`x` an object of arbitrary class.

Value

a vector of character strings containing the result. The length of this vector is equal to `length(x)`.

Examples

```
## cases where isNumericAtomicVector returns
## TRUE
z <- 1:3; names(z) <- letters[1:3]
isNumericAtomicVector(z)
isNumericAtomicVector(matrix(1:3, nrow=1))
isNumericAtomicVector(matrix(1:3, ncol=1))
isNumericAtomicVector(1:5)
isNumericAtomicVector(letters)

## cases where isNumericAtomicVector returns
## FALSE
isNumericAtomicVector(list(1:3))
isNumericAtomicVector(data.frame(1:3, 2:4))
isNumericAtomicVector(matrix(1:12, nrow=4))
```

lowerCase

Case conversion

Description

Convert text to lower or upper case.

Usage

```
lowerCase(x)
upperCase(x)
```

Arguments

x a character string.

Value

a character string coerced to the specified case.

See Also

[casefold](#), [tolower](#), [toupper](#).

Examples

```
x <- "A dog and a cat"
lowerCase(x)
upperCase(x)
```

MC*Make Closure for functions*

Description

MC makes closures for defining functions in a function.

Usage

```
MC(f, env=NULL)
```

Arguments

f function
env a list containing functions to be used in f

Details

MC declares functions to be used in f. When f is defined inside of a function, say fun, it cannot call other functions defined in fun. MC can enclose the functions needed by f and make it possible for f to call other functions defined in fun.

Author(s)

Knut M. Wittkowski <kmw@rockefeller.edu>

Examples

```
f1 <- function(x, y) x+y
f2 <- MC(function(x, y) x*y, list(f1=f1))
```

nDotArgs

Determine Number of Arguments to Function

Description

count the number of ... arguments passed.

Usage

```
nDotArgs(...)
```

Arguments

... ... arguments or real arguments in the call to the function which calls ttnDotArgs.

Value

the number of ... arguments in the call to the function which calls nDotArgs.

See Also

[nargs](#).

Examples

```
myfun <- function(..., a=4) nDotArgs(...)
myfun()           ## returns 0
myfun(1:3,"bear") ## returns 2
myfun(a=5, 1:3, "bear") ## returns 2 (excludes a)
```

numCols	<i>Object dimensions</i>
---------	--------------------------

Description

Returns number of rows or number of columns of rectangular input object.

Usage

```
numCols(x)
numRows(x)
```

Arguments

x rectangular object.

Value

the number of rows or columns of the input object.

See Also

[as.data.frame](#), [matrix](#), [Subscript](#), [nrow](#), [dimnames](#).

Examples

```
x <- matrix(1:12, nrow=3)
numCols(x)
numRows(x)
```

numericSequence	<i>Constructor for numericSequence Class</i>
-----------------	--

Description

Constructor function for numericSequence objects. At least three of the four arguments must be supplied, unless the function is called with no arguments.

Usage

```
numericSequence(from, to, by, length.)
```

Arguments

from	start of the sequence.
to	end of the sequence.
by	increment for the sequence.
length.	length of the sequence, a non-negative integer.

Value

a numericSequence object with properties given by the arguments, or the default numericSequence if no arguments are supplied.

S3 METHODS

S4 supported S4 methods include: Math, Math2, Ops, Summary, [, [[, duplicated, is.na, length, match, mean, median, quantile, show, sort, summary, unique, which.na. There are also [and [[S4 style replacement methods available.

as s4 style conversion methods ala as(x,foo) where foo is one of the following conversion classes: "character", "integer", "numeric".

See Also

[seriesData](#), [asSeriesData](#), [seriesDataNew](#), [seriesDataValid](#), [signalSeries](#), [as.data.frame.signalSeries](#), [as.matrix.signalSeries](#), [cumsum.signalSeries](#), [deltat.signalSeries](#), [diff.signalSeries](#), [plot.signalSeries](#).

numericSequence-methods

Methods for class signalSeries in package splus2R

Description

Methods for class signalSeries in package splus2R

Details

Supported (generic) methods include:

as Target classes: character, integer, numeric.

Math Math functions

Math2 Math2 functions

Ops Ops functions

Data access and replacement Single- and double-bracket access and replacement functions

duplicated Find duplicated entries in sequence

is.na Test for NA entries in sequence

length Length of sequence
match Matching functions for sequence
mean Mean of sequence
median Median of sequence
quantile Quantile of sequence
rev Reverse sequence
show Show the sequence
sort Sort the sequence
unique Find unique sequence entries
summary Summarize the sequence
unique Find unique elements of a sequence
which.na Find NA entries in the sequence

See Also

[signalSeries](#).

oldUnclass

Class conversion

Description

the old-style version of function unclass; it sets oldClass to NULL, rather than class.

Usage

```
oldUnclass(x)
```

Arguments

x any object.

Value

unclassed version of input object.

See Also

[oldClass](#), [unclass](#).

Examples

```
oldUnclass(matrix(1:10))
```

peaks	<i>Local maxima</i>
-------	---------------------

Description

Finds the local maxima in a vector, or time series, or in each column of a matrix.

Usage

```
peaks(x, span=3, strict=TRUE, endbehavior=0)
```

Arguments

x	vector or matrix.
span	a peak is defined as an element in a sequence which is greater than all other elements within a window of width span centered at that element. The default value is 3, meaning that a peak is bigger than both of its neighbors. Default: 3.
strict	logical flag: if TRUE, an element must be strictly greater than all other values in its window to be considered a peak. Default: TRUE.
endbehavior	a value of 0, 1 or 2 that determines how peaks are computed within a halfwidth (= floor(span/2)) of the ends of the sequence. A value of 0 means no value within halfwidth of the start or end can be considered a peak. A value of 1 means maximum values within halfwidth of the start or end can be considered a peak. A value of 2 returns NA for the values within halfwidth of the start or end. The default is endbehavior=0).

Value

an object like x of logical values. Values that are TRUE correspond to local peaks in the data.

Note

The value of endbehavior acts as follows: 0 is as if the series had runs of halfwidth values of Inf attached to either end, 1 is as if there were runs of halfwidth values of -Inf attached, and 2 is as if there were runs of halfwidth values of NA attached.

See Also

[max](#), [cummax](#), [pmax](#).

Examples

```
x <- as.vector(sunspots)
z <- peaks(x, span=51)
plot(x, type="l")
abline(v=which(z), col="red", lty="dashed")
```

positions *Positions of signalSeries objects*

Description

Access the positions of series objects.

Usage

```
positions(object)
```

Arguments

object an object of class `signalSeries`.

Value

the positions associated with the input time series: an object of class `numericSequence`.

See Also

[seriesData](#), [signalSeries](#).

Examples

```
x <- signalSeries(1:10, from=pi, by=0.1)
positions(x)
```

rmvnorm *Multivariate Normal (Gaussian) Distribution*

Description

Random generation for the multivariate normal (also called Gaussian) distribution.

Usage

```
rmvnorm(n, mean=rep(0,d), cov=diag(d), sd, rho, d=2)
```


Arguments

n	sample size – number of random vectors of length d to return (as rows in a matrix).
cov	covariance or correlation matrix with d rows and columns.
d	dimension of the multivariate normal.
mean	vector of length d, or matrix with n rows and d columns.
rho	scalar, vector, or <code>bdVector</code> of length n, containing correlations for bivariate data. This is ignored if cov is supplied.
sd	vector of length d, or matrix with n rows and d columns, containing standard deviations. If supplied, the rows and columns of cov are multiplied by sd. In particular, if cov is a correlation matrix and sd is a vector of standard deviations, the result is a covariance matrix. If sd is a matrix then one row is used for each observation.

Value

random sample (`rmvnorm`) for the multivariate normal distribution.

See Also

[rnorm, set.seed.](#)

Examples

```
## 5 rows and 2 independent columns
rmvnorm(5)

## 5 rows and 3 independent columns
rmvnorm(5, mean=c(9,3,1))

## 2 columns, std. dev. 1, correlation .9
rmvnorm(5, rho=.9)

## specify variable means and covariance matrix
rmvnorm(5, mean=c(9,3), cov=matrix(c(4,1,1,2), 2))
```

seriesData

Access Data Of series Objects

Description

Access the data slot of series objects.

Usage

```
seriesData(object)
```

Arguments

object object with which to find data.

Value

the data slot of object.

S3 METHODS

[<- single level data replacement method.

Usage: x[1:4] <- 1:4)

See Also

[numericSequence](#), [asSeriesData](#), [seriesDataNew](#), [seriesDataValid](#), [signalSeries](#), [as.data.frame.signalSeries](#), [as.matrix.signalSeries](#), [cumsum.signalSeries](#), [deltat.signalSeries](#), [diff.signalSeries](#), [plot.signalSeries](#).

seriesDataNew

Creates template for new seriesData object

Description

Creates template for new seriesData object., basically a NULL matrix.

Usage

seriesDataNew()

Value

nULL matrix.

See Also

[numericSequence](#), [seriesData](#), [asSeriesData](#), [seriesDataValid](#), [signalSeries](#), [as.data.frame.signalSeries](#), [as.matrix.signalSeries](#), [cumsum.signalSeries](#), [deltat.signalSeries](#), [diff.signalSeries](#), [plot.signalSeries](#).

seriesDataValid	<i>Validates the structure of seriesData object</i>
-----------------	---

Description

Checks to see if input object is rectangular.

Usage

```
seriesDataValid(object)
```

Arguments

object the object to check.

Value

logical value, TRUE is a valid seriesData object.

See Also

[numericSequence](#), [seriesData](#), [asSeriesData](#), [seriesDataNew](#), [signalSeries](#), [as.data.frame.signalSeries](#), [as.matrix.signalSeries](#), [cumsum.signalSeries](#), [deltat.signalSeries](#), [diff.signalSeries](#), [plot.signalSeries](#).

showStructure	<i>Describe the structure of an object</i>
---------------	--

Description

Describe the structure of an object, recursively.

Usage

```
showStructure(x, maxlen = 20, describeAttributes = TRUE,
             short = NULL, prefix = "", attri = FALSE, ...)
```

Arguments

x any object

maxlen integer; if x is a list with more than maxlen components, only the names are printed. This may be a vector, in which case the Kth element is used at the Kth level of recursion.

describeAttributes logical; if FALSE then only the names of attributes are printed; the structure of the attributes is not shown.

short	NULL or logical; this may be used by methods, to indicate whether to print a shorter description. It is currently used by bdFrame and bdVector methods
prefix	for internal use in recursive calls. This is used for indenting in recursive calls.
attri	for internal use in recursive calls. This is TRUE if the current object being described is a list of attributes.
...	Additional argument that may be passed to methods; not currently used.

Details

This supports recursive objects, using recursive calls. Each level of recursion is indented two additional spaces. List components are shown with \$, slots with @, and attributes with &.

Value

This prints a description; it doesn't return anything useful.

Author(s)

Tim Hesterberg

See Also

[names](#), [str](#).

Examples

```
a <- c(m=1, n=2)
b <- diag(1:3)
cc <- cbind(a=1:5, b=2:6, c=letters[1:5])
d <- data.frame(cc)
attr(d, "dup.row.names") <- TRUE
e <- ts(1:10, frequency = 4, start = c(1959, 2))
f <- list(a,b=b)
setClass("track", representation(x="numeric", y="numeric"))
g <- new("track", x=1:5, y=1:5)

showStructure(a)
showStructure(b)
showStructure(cc)
showStructure(d)
showStructure(e)
showStructure(f)
showStructure(g) # prints with @ rather than $
showStructure(list(a=a, b=b))
showStructure(list(cc=cc, d, list(a,e)))
```

signalSeries	<i>Constructor function for the signalSeries class</i>
--------------	--

Description

Construct a signalSeries object from positions and data, or return an empty signalSeries object.

Usage

```
signalSeries(data, positions., units, units.position, from=1, by=1)
```

Arguments

by	amount to skip for positions.
data	variable data, which will be converted to a rectangular object with the as.rectangular function.
from	starting value of positions.
positions.	numeric or numeric sequence object to use as the time/position values.
units	units for variable data.
units.position	units for positions.

Details

If no arguments are supplied, the default (empty) signalSeries object is returned. Otherwise, a signalSeries object is created with the given positions and data, and units if they are supplied. As an alternative to supplying the positions directly, they can be supplied by giving from and by, in which case the positions are generated as a numeric sequence with the right length to match the data.

Value

a signalSeries object with the given data and positions.

S3 METHODS

as s4 style conversion to another class ala as(x, foo) where foo is any of the following: "character", "complex", "data.frame", "integer", "logical", "matrix", "numeric", "vector".

as.data.frame convert to a data.frame.

as.matrix convert to a matrix.

cumsum cumulative summation over series.

deltat samlig intervals of series.

diff differencing operation applied to the series. Usage: diff(x, ...) where the ... are additional arguments sent directly to the diff function.

plot plots the series.

See Also

[numericSequence.](#)

signalSeries-methods *Methods for class signalSeries in package splus2R*

Description

Methods for class signalSeries in package splus2R

Details

Supported (generic) methods include:

as Target classes: complex, character, matrix, numeric, logical, integer, vector, and data.frame. S3 style methods include as.numeric and as.vector.

Arith Arithmetic functions

Compare Comparison functions

Logic Logical functions

Math Math functions

Math2 Math2 functions

Ops Ops functions

dim Dimension of series (NULL is returned)

length Length of series

mean Mean of series

min Minimum of series

ncol Number of columns of series (1 is returned)

plot Plot the series

show Display the series

sum Sum the series.

summary Sumamrize the series object

See Also

[numericSequence.](#)

stdev	<i>Standard deviation</i>
-------	---------------------------

Description

Calculates the standard deviation of a series.

Usage

```
stdev(x, ...)
```

Arguments

x	input series.
...	optional arguments sent directly to the <code>colVars</code> function. You can control for example the removal of NA values prior to analysis via the <code>na.rm</code> argument, and whether or not an unbiased estimate is returned via the <code>unbiased</code> argument.

Value

the standard deviation of the input series.

See Also

[var](#).

Examples

```
stdev(c(pi, 1, 3))
```

subscript2d	<i>Uniform Rectangular Data Subscripting Function</i>
-------------	---

Description

`subscript2d` is for subscripting matrices and data frames.

Usage

```
subscript2d(x, i, j)  
subscript2dMatrix(x, i, j)  
subscript2dDataFrame(x, i, j)
```

Arguments

x	a matrix or data frame
i	first (row) subscript.
j	second (column) subscript.

Value

subscript2d(x, i, j) is like x[i, j, drop=F], except that it allows x[, 1] (for example) for atomic vectors as well, and it always returns an object of the same class as x (that is, it does not support a drop argument).

See Also

[as.data.frame](#), [matrix](#).

Examples

```
x <- 1:10
subscript2d(x,3,1)
subscript2d(data.frame(x),3,1)
subscript2d(matrix(x),3,1)
```

vecnorm

p-norm of a vector

Description

Computes the p-norm of a vector

Usage

```
vecnorm(x, p=2)
```

Arguments

x	the vector whose norm is sought (either numeric or complex).
p	a number or character string indicating the type of norm desired. Possible values include real number greater or equal to 1, Inf, or character strings "euclidean" or "maximum". Default: 2.

Value

requested p-norm of input vector.

See Also

[rnorm](#).

Examples

```
## compare 2-norm calculations
x <- rnorm(100)
sqrt(sum(x*x))
vecnorm(x)

## compare 2-norm of series which sums to Inf. The
## vecnorm returns a finite value in this case.
x <- rep(sqrt(.Machine$double.xmax), 4)
sqrt(sum(x*x))
vecnorm(x)

## 1-norm comparison
sum(abs(x))
vecnorm(x, p=1)

## L-infinity norm comparison
max(abs(x))
vecnorm(x, p=Inf)
```

which.na

Determine Which Values are Missing Values

Description

Returns an integer vector describing which values in the input vector, if any, are missing.

Usage

```
which.na(x)
```

Arguments

x an R object, which should be of mode "logical", "numeric", or "complex".

Value

an integer vector describing which values in the input vector, if any, are missing.

See Also

[is.na.](#)

Examples

```
## A non-zero number divided by zero creates
## infinity, zero over zero creates a NaN
weird.values <- c(1/0, -20.9/0, 0/0, NA)

## Produces: 3 4. In this example, the which.na
## expression and the subscript expression
## involving is.na should return the same value
which.na(weird.values)
seq(along=weird.values)[is.na(weird.values)]
```

Index

- * **classes**
 - showStructure, 27
 - signalSeries, 29
 - * **error**
 - expectStop, 10
 - * **manip**
 - is.orderable, 15
 - showStructure, 27
 - * **methods**
 - numericSequence-methods, 21
 - signalSeries-methods, 30
 - * **numericSequence methods**
 - numericSequence-methods, 21
 - * **programming**
 - showStructure, 27
 - * **series classes**
 - signalSeries, 29
 - * **signalSeries methods**
 - signalSeries-methods, 30
 - * **splus series**
 - asSeriesData, 5
 - numericSequence, 20
 - seriesData, 25
 - seriesDataNew, 26
 - seriesDataValid, 27
 - * **splus**
 - anyMissing, 4
 - as.rectangular, 4
 - colIds, 6
 - deparseText, 7
 - ifelse1, 12
 - is.missing, 14
 - is.rectangular, 16
 - lowerCase, 18
 - nDotArgs, 19
 - numCols, 20
 - oldUnclass, 22
 - peaks, 23
 - positions, 24
 - rmvnorm, 24
 - stdev, 31
 - subscript2d, 31
 - vecnorm, 32
 - which.na, 33
 - * **ts**
 - asSeriesData, 5
 - numericSequence, 20
 - seriesData, 25
 - seriesDataNew, 26
 - seriesDataValid, 27
 - * **utilities**
 - allTrue, 2
 - anyMissing, 4
 - as.rectangular, 4
 - bits.per.integer, 6
 - colIds, 6
 - deparseText, 7
 - do.test, 8
 - expectStop, 10
 - ifelse1, 12
 - is.inf, 13
 - is.missing, 14
 - is.number, 15
 - is.rectangular, 16
 - isNumericAtomicVector, 17
 - lowerCase, 18
 - MC, 18
 - nDotArgs, 19
 - numCols, 20
 - oldUnclass, 22
 - peaks, 23
 - positions, 24
 - rmvnorm, 24
 - stdev, 31
 - subscript2d, 31
 - vecnorm, 32
 - which.na, 33
- [, numericSequence-method

- (numericSequence-methods), 21
- [, signalSeries-method
 - (signalSeries-methods), 30
- [<-, numericSequence-method
 - (numericSequence-methods), 21
- [<- .seriesData (seriesData), 25
- [[, numericSequence-method
 - (numericSequence-methods), 21
- [[<-, numericSequence-method
 - (numericSequence-methods), 21
- all.equal, 2, 3, 9
- allTrue, 2, 9
- anyMissing, 4, 14
- Arith, signalSeries, ANY-method
 - (signalSeries-methods), 30
- as.data.frame, 20, 32
- as.data.frame.signalSeries, 5, 21, 26, 27
- as.data.frame.signalSeries
 - (signalSeries), 29
- as.matrix.signalSeries, 5, 21, 26, 27
- as.matrix.signalSeries (signalSeries), 29
- as.numeric, signalSeries-method
 - (signalSeries-methods), 30
- as.rectangular, 4, 16
- as.vector, signalSeries-method
 - (signalSeries-methods), 30
- asSeriesData, 5, 21, 26, 27
- bits.per.integer, 6
- casefold, 18
- coerce, list, signalSeries-method
 - (signalSeries-methods), 30
- coerce, numeric, numericSequence-method
 - (numericSequence-methods), 21
- coerce, numericSequence, character-method
 - (numericSequence-methods), 21
- coerce, numericSequence, integer-method
 - (numericSequence-methods), 21
- coerce, numericSequence, numeric-method
 - (numericSequence-methods), 21
- coerce, signalSeries, character-method
 - (signalSeries-methods), 30
- coerce, signalSeries, complex-method
 - (signalSeries-methods), 30
- coerce, signalSeries, data.frame-method
 - (signalSeries-methods), 30
- coerce, signalSeries, integer-method
 - (signalSeries-methods), 30
- coerce, signalSeries, logical-method
 - (signalSeries-methods), 30
- coerce, signalSeries, matrix-method
 - (signalSeries-methods), 30
- coerce, signalSeries, numeric-method
 - (signalSeries-methods), 30
- coerce, signalSeries, vector-method
 - (signalSeries-methods), 30
- colIds, 6
- colMaxs (colIds), 6
- colMedians (colIds), 6
- colMins (colIds), 6
- colRanges (colIds), 6
- colVars (colIds), 6
- Compare, signalSeries, ANY-method
 - (signalSeries-methods), 30
- cummax, 23
- cumsum.signalSeries, 5, 21, 26, 27
- cumsum.signalSeries (signalSeries), 29
- deltat.signalSeries, 5, 21, 26, 27
- deltat.signalSeries (signalSeries), 29
- deparseText, 7
- diff.signalSeries, 5, 21, 26, 27
- diff.signalSeries (signalSeries), 29
- dim, signalSeries-method
 - (signalSeries-methods), 30
- dimnames, 20
- do.test, 2, 3, 8, 12
- drop, 9
- duplicated, numericSequence-method
 - (numericSequence-methods), 21
- expectStop, 3, 9, 10
- expectWarnings, 3, 9
- expectWarnings (expectStop), 10
- identical, 3, 9
- if, 13
- ifelse, 13
- ifelse1, 12
- is.inf, 13
- is.infinite, 14
- is.missing, 4, 14
- is.na, 16, 33
- is.na, numericSequence-method
 - (numericSequence-methods), 21

- is.number, 15
- is.orderable, 15
- is.rectangular, 5, 16
- isNumericAtomicVector, 17
- length, numericSequence-method
(numericSequence-methods), 21
- length, signalSeries-method
(signalSeries-methods), 30
- Logic, signalSeries, ANY-method
(signalSeries-methods), 30
- lowerCase, 18
- match, ANY, numericSequence-method
(numericSequence-methods), 21
- match, numericSequence, ANY-method
(numericSequence-methods), 21
- Math, numericSequence-method
(numericSequence-methods), 21
- Math, signalSeries-method
(signalSeries-methods), 30
- Math2, numericSequence-method
(numericSequence-methods), 21
- Math2, signalSeries-method
(signalSeries-methods), 30
- matrix, 20, 32
- max, 23
- MC, 18
- mean, numericSequence-method
(numericSequence-methods), 21
- mean, signalSeries-method
(signalSeries-methods), 30
- median, numericSequence-method
(numericSequence-methods), 21
- min, signalSeries-method
(signalSeries-methods), 30
- names, 28
- nargs, 19
- ncol, signalSeries-method
(signalSeries-methods), 30
- nDotArgs, 19
- nrow, 20
- numCols, 20
- numericSequence, 5, 20, 26, 27, 30
- numericSequence-class
(numericSequence), 20
- numericSequence-methods, 21
- numRows (numCols), 20
- oldClass, 22
- oldUnclass, 22
- Ops, ANY, numericSequence-method
(numericSequence-methods), 21
- Ops, numericSequence, ANY-method
(numericSequence-methods), 21
- Ops, signalSeries, ANY-method
(signalSeries-methods), 30
- peaks, 23
- plot, signalSeries-method
(signalSeries-methods), 30
- plot.signalSeries, 5, 21, 26, 27
- plot.signalSeries (signalSeries), 29
- pmax, 23
- positions, 24
- quantile, numericSequence-method
(numericSequence-methods), 21
- Quote, 9
- rev, numericSequence-method
(numericSequence-methods), 21
- rmvnorm, 24
- rnorm, 25, 32
- rowIds (colIds), 6
- rowMaxs (colIds), 6
- rowMins (colIds), 6
- rowRanges (colIds), 6
- seriesData, 5, 21, 24, 25, 26, 27
- seriesData<- (seriesData), 25
- seriesDataNew, 5, 21, 26, 26, 27
- seriesDataValid, 5, 21, 26, 27
- set.seed, 25
- show, numericSequence-method
(numericSequence-methods), 21
- show, signalSeries-method
(signalSeries-methods), 30
- showStructure, 27
- signalSeries, 5, 21, 22, 24, 26, 27, 29
- signalSeries-class (signalSeries), 29
- signalSeries-methods, 30
- sort, numericSequence, missing-method
(numericSequence-methods), 21
- sort, numericSequence-method
(numericSequence-methods), 21
- stdev, 31
- str, 28

Subscript, [20](#)
subscript2d, [31](#)
subscript2dDataFrame (subscript2d), [31](#)
subscript2dMatrix (subscript2d), [31](#)
sum, signalSeries-method
 (signalSeries-methods), [30](#)
Summary, numericSequence-method
 (numericSequence-methods), [21](#)
summary, numericSequence-method
 (numericSequence-methods), [21](#)
Summary, signalSeries-method
 (signalSeries-methods), [30](#)
summary, signalSeries-method
 (signalSeries-methods), [30](#)

tolower, [18](#)
toupper, [18](#)

unclass, [22](#)
unique, numericSequence, missing-method
 (numericSequence-methods), [21](#)
unique, numericSequence-method
 (numericSequence-methods), [21](#)
unname, [9](#)
upperCase (lowerCase), [18](#)

var, [31](#)
vecnorm, [32](#)

warning, [9](#)
which.na, [4](#), [33](#)
which.na, numericSequence-method
 (numericSequence-methods), [21](#)