

# Package ‘surveyoutliers’

January 25, 2016

**Type** Package

**Title** Helps Manage Outliers in Sample Surveys

**Version** 0.1

**Date** 2016-01-22

**Author** Robert Clark

**Maintainer** “Robert Clark” <rc.lark@uow.edu.au>

**Imports** stats

**Description** At present, the only functionality is the calculation of optimal one-sided winsorizing cut-offs. The main function is `optimal.onesided.cutoff.bygroup`. It calculates the optimal tuning parameter for one-sided winsorisation, and so calculates winsorised values for a variable of interest. See the help file for this function for more details and an example.

**License** GPL-2 | GPL-3

**LazyData** TRUE

**RoxygenNote** 5.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-01-25 08:55:18

## R topics documented:

<code>optimal.onesided.cutoff</code> . . . . .	2
<code>optimal.onesided.cutoff.bygroup</code> . . . . .	3
<code>robust.lm.onesided</code> . . . . .	4
<code>survdat.example</code> . . . . .	5

<b>Index</b>	<b>6</b>
--------------	----------

---

optimal.onesided.cutoff

*Optimal one-sided winsorization for survey outliers*

---

## Description

This function calculates optimal tuning parameter, cutoffs, and winsorized values for one-sided winsorization.

## Usage

```
optimal.onesided.cutoff(formula, surveydata, historical.reweight = 1,
  estimated.means.name = "", stop = F)
```

## Arguments

formula	The regression formula (e.g. <code>income ~ employment + old.turnover</code> if income is survey variable and employment and old.turnover are auxiliary variables).
surveydata	A data frame of the survey data including the variables in formula, piwt (inverse probability of selection), gregwt (generalized regression estimator weight) and regwt (weight to be used in regression - will be set to 1 if missing).
historical.reweight	A set of reweighting factors for use when a historical dataset is being used. It reweights from the historical sample to the sample of interest. The default value of 1 should be used if the sample being used for optimising Q is the same sample (or at least the same design) as the sample to which the winsorizing cutoffs are to be applied.
estimated.means.name	The variable of this name in surveydata should contain an estimator of the expected values for each sample value of the variable of interest. If set to "", the regression model is estimated using IRLS.
stop	Set to T to open a browser window (for debugging purposes)

## Details

This function calculates optimal one-sided cutoffs for winsorization where regression residuals are truncated at  $Q / (\text{generalized\_regression\_estimator\_weight} - 1)$  and Q satisfies the optimality result in Kokic and Bell (1994) and Clark (1995).

## Value

A list consisting of Q.opt (the optimal Q), rlm.coef (the robust regression coefficients), windata which is a dataset containing the same observations and variables as surveydata in the same order, with additional variables cutoffs (the winsorizing cutoffs for each unit in sample), y (the values of the variable of interest), win1.values (the type 1 winsorized values of interest, i.e. the minimums of the cutoff and y) and win2.values (the type 2 winsorized values of interest, so that  $\text{sum}(\text{surveydata}\$gregwt * \text{win2.values})$  is the winsorized estimator).

## References

Clark, R. G. (1995), "Winsorisation methods in sample surveys," Masters thesis, Australian National University, <http://hdl.handle.net/10440/1031>.

Kokic, P. and Bell, P. (1994), "Optimal winsorizing cutoffs for a stratified finite population estimator," J. Off. Stat., 10, 419-435.

## Examples

```
test <- optimal.onesided.cutoff(formula=y~x1+x2, surveydata=survdat.example)
plot(test$windata$y, test$windata$win1.values)
```

---

```
optimal.onesided.cutoff.bygroup
```

*Optimal one-sided winsorization for survey outliers by group*

---

## Description

This function calculates optimal tuning parameter, cutoffs, and winsorized values for one-sided winsorization, by group.

## Usage

```
optimal.onesided.cutoff.bygroup(formula, surveydata, historical.reweight = 1,
  groupname, estimated.means.name = "", stop = F)
```

## Arguments

formula	The regression formula (e.g. <code>income ~ employment + old.turnover</code> if <code>income</code> is survey variable and <code>employment</code> and <code>old.turnover</code> are auxiliary variables).
surveydata	A data frame of the survey data including the variables in <code>formula</code> , <code>piwt</code> (inverse probability of selection) and <code>gregwt</code> (generalized regression estimator weight).
historical.reweight	A set of reweighting factors for use when a historical dataset is being used. It reweights from the historical sample to the sample of interest. The default value of 1 should be used if the sample being used for optimising <code>Q</code> is the same sample (or at least the same design) as the sample to which the winsorizing cutoffs are to be applied.
groupname	The variable of this name in <code>surveydata</code> defines the groups for which <code>Q</code> is to be optimised. If <code>groupname</code> is missing, it is assumed that cutoffs are to be optimised for the overall mean or total.
estimated.means.name	The variable of this name in <code>surveydata</code> should contain an estimator of the expected values for each sample value of the variable of interest. If set to "", the regression model is estimated using IRLS.
stop	Set to T to open a browser window (for debugging purposes)

## Details

This function calculates optimal one-sided cutoffs for winsorization where regression residuals are truncated at  $Q / (\text{weight}-1)$  and  $Q$  satisfies the optimality result in Kokic and Bell (1994) and Clark (1995).

## Value

A list consisting of `Q.opt` (the optimal  $Q$ ), `rlm.coef` (the robust regression coefficients), `cutoffs` (the winsorizing cutoffs for each unit in sample), `y` (the values of the variable of interest), `win1.values` (the type 1 winsorized values of interest, i.e. the minimums of the cutoff and  $y$ ) `win2.values` (the type 2 winsorized values of interest, so that  $\text{sum}(\text{surveydata}\$\text{gregwt}*\text{win2.values})$  is the winsorized estimator)

## References

Clark, R. G. (1995), "Winsorisation methods in sample surveys," Masters thesis, Australian National University, <http://hdl.handle.net/10440/1031>.

Kokic, P. and Bell, P. (1994), "Optimal winsorizing cutoffs for a stratified finite population estimator," *J. Off. Stat.*, 10, 419-435.

## Examples

```
test <- optimal.onesided.cutoff.bygroup(formula=y~x1+x2,
surveydata=survdat.example,groupname="industry")
plot(test$windata$y,test$windata$win1.values)
```

---

robust.lm.onesided      *Robust Regression using One-Sided Huber Function*

---

## Description

This function performs robust regression using M-estimation using the one-sided Huber function, with residuals truncated at  $Q / (\text{data}\$\text{gregwt}-1)$  where `data$gregwt` is the generalized regression weight.

## Usage

```
robust.lm.onesided(formula, data, Q, Qname, maxit = 100, stop = F)
```

## Arguments

<code>formula</code>	The regression formula (e.g. <code>income ~ employment + old.turnover</code> if <code>income</code> is survey variable and <code>employment</code> and <code>old.turnover</code> are auxiliary variables).
<code>data</code>	A data frame including the variables in <code>formula</code> , and <code>gregwt</code> (generalized regression estimator weight), and <code>regwt</code> (weight to be used in regression - will be set to 1 if missing).

Q	The tuning parameter where large Q corresponds to no outlier treatment, and small Q corresponds to many outliers being flagged.
Qname	Gives a variable name on data which contains a separate tuning parameter Q for every observation (either Q or Qname should be specified but not both).
maxit	The maximum number of iterations.
stop	Set to T to open a browser window (for debugging purposes)

### Details

Uses iteratively reweighted least squares.

### Value

The final linear model fit (an object of class "lm").

### References

Clark, R. G. (1995), "Winsorisation methods in sample surveys," Masters thesis, Australian National University, <http://hdl.handle.net/10440/1031>.

Kokic, P. and Bell, P. (1994), "Optimal winsorizing cutoffs for a stratified finite population estimator," J. Off. Stat., 10, 419-435.

### Examples

```
robust.lm.onesided(formula=y~x1+x2,data=survdat.example,Q=250)
```

---

survdat.example      *An example sample data file of 5000 respondents.*

---

### Description

A dataset containing the values of y (a variable of interest which is outlier-prone), two auxiliary variables x1 and x2, piwt (inverse probability of selection weight), and gregwt (generalized regression estimation weight, assumed to have been calculated using x1 and x2)

### Usage

```
survdat.example
```

### Format

An object of class `data.frame` with 500 rows and 6 columns.

# Index

## \*Topic **datasets**

survdat.example, [5](#)

optimal.onesided.cutoff, [2](#)

optimal.onesided.cutoff.bygroup, [3](#)

robust.lm.onesided, [4](#)

survdat.example, [5](#)