

Package ‘tdigest’

August 1, 2019

Type Package

Title Wicked Fast, Accurate Quantiles Using t-Digests

Version 0.3.0

Date 2019-07-25

Description The t-Digest construction algorithm, by

Dunning et al., (2019) <arXiv:1902.04023v1>, uses a variant of 1-dimensional k-means clustering to produce a very compact data structure that allows accurate estimation of quantiles. This t-Digest data structure can be used to estimate quantiles, compute other rank statistics or even to estimate related measures like trimmed means. The advantage of the t-Digest over previous digests for this purpose is that the t-Digest handles data with full floating point resolution. The accuracy of quantile estimates produced by t-Digests can be orders of magnitude more accurate than those produced by previous digest algorithms. Methods are provided to create and update t-Digests and retrieve quantiles from the accumulated distributions.

URL <https://gitlab.com/hrbrmstr/tdigest>

BugReports <https://gitlab.com/hrbrmstr/tdigest/issues>

Copyright file inst/COPYRIGHTS

Encoding UTF-8

License MIT + file LICENSE

Suggests testthat, covr, spelling

Depends R (>= 3.5.0)

Imports magrittr, stats

RoxygenNote 6.1.1

Language en-US

NeedsCompilation yes

Author Bob Rudis [aut, cre] (<<https://orcid.org/0000-0001-5670-2640>>),
Ted Dunning [aut] (t-Digest algorithm;
<<https://github.com/tdunning/t-digest/>>),
Andrew Werner [aut] (Original C+ code;
<<https://github.com/ajwerner/tdigest>>)

Maintainer Bob Rudis <bob@rud.is>

Repository CRAN

Date/Publication 2019-08-01 09:10:02 UTC

R topics documented:

td_add	2
td_create	3
td_merge	3
td_quantile_of	4
td_total_count	4
td_value_at	5
tquantile	6

Index

7

td_add

Add a value to the t-Digest with the specified count

Description

Add a value to the t-Digest with the specified count

Usage

```
td_add(td, val, count)
```

Arguments

td	t-Digest object
val	value
count	count

Value

the original, updated `tdigest` object

Examples

```
td <- td_create(10)
td_add(td, 0, 1)
```

td_create	<i>Allocate a new histogram</i>
-----------	---------------------------------

Description

Allocate a new histogram

Usage

```
td_create(compression = 100)  
is_tdigest(td)
```

Arguments

compression	the input compression value; should be ≥ 1.0 ; this will control how aggressively the t-Digest compresses data together. The original t-Digest paper suggests using a value of 100 for a good balance between precision and efficiency. It will land at very small (think like 1e-6 percentile points) errors at extreme points in the distribution, and compression ratios of around 500 for large data sets (~1 million datapoints). Defaults to 100.
td	t-digest object

Value

a tdigest object

References

[Computing Extremely Accurate Quantiles Using t-Digests](#)

Examples

```
td <- td_create(10)
```

td_merge	<i>Merge one t-Digest into another</i>
----------	--

Description

Merge one t-Digest into another

Usage

```
td_merge(from, into)
```

Arguments

`from, into` t-Digests

Value

`into`
a `tdigest` object

`td_quantile_of` *Return the quantile of the value*

Description

Return the quantile of the value

Usage

```
td_quantile_of(td, val)
```

Arguments

<code>td</code>	t-Digest object
<code>val</code>	value

Value

the computed quantile (double)

`td_total_count` *Total items contained in the t-Digest*

Description

Total items contained in the t-Digest

Usage

```
td_total_count(td)

## S3 method for class 'tdigest'
length(x)
```

Arguments

<code>td</code>	t-Digest object
<code>x</code>	a <code>tdigest</code> object

Value

double containing the size of the t-Digest

Examples

```
td <- td_create(10)
td_add(td, 0, 1)
td_total_count(td)
length(td)
```

td_value_at	<i>Return the value at the specified quantile</i>
-------------	---

Description

Return the value at the specified quantile

Usage

```
td_value_at(td, q)

## S3 method for class 'tdigest'
x[i, ...]
```

Arguments

td	t-Digest object
q	quantile (range 0:1)
x	a tdigest object
i	quantile (range 0:1)
...	unused

Value

the computed quantile (double)

Examples

```
td <- td_create(10)

td_add(td, 0, 1) %>%
  td_add(10, 1)

td_value_at(td, 0.1)
td_value_at(td, 0.5)
td[0.1]
td[0.5]
```

tquantile*Calculate sample quantiles from a t-Digest***Description**

Calculate sample quantiles from a t-Digest

Usage

```
tquantile(td, probs)

## S3 method for class 'tdigest'
quantile(x, probs = seq(0, 1, 0.25), ...)
```

Arguments

td	t-Digest object
probs	numeric vector of probabilities with values in range 0:1
x	numeric vector whose sample quantiles are wanted
...	unused

Value

a numeric vector containing the requested quantile values

References

[Computing Extremely Accurate Quantiles Using t-Digests](#)

Examples

```
set.seed(1492)
x <- sample(0:100, 1000000, replace = TRUE)
td <- tdigest(x, 1000)
tquantile(td, c(0, .01, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 0.99, 1))
quantile(td)
```

Index

[.tdigest (td_value_at), 5
is_tdigest (td_create), 3
length.tdigest (td_total_count), 4
quantile.tdigest (tquantile), 6
td_add, 2
td_create, 3
td_merge, 3
td_quantile_of, 4
td_total_count, 4
td_value_at, 5
tquantile, 6