

Package ‘tidycensus’

April 21, 2022

Type Package

Title Load US Census Boundary and Attribute Data as 'tidyverse' and 'sf'-Ready Data Frames

Version 1.2.1

Date 2022-04-21

URL <https://walker-data.com/tidycensus/>

BugReports <https://github.com/walkerke/tidycensus/issues>

Description An integrated R interface to several United States Census Bureau APIs (<<https://www.census.gov/data/developers/data-sets.html>>) and the US Census Bureau's geographic boundary files. Allows R users to return Census and ACS data as tidyverse-ready data frames, and optionally returns a list-column with feature geometry for mapping and spatial analysis.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 3.3.0)

Imports httr, sf, dplyr (>= 1.0.0), tigris, stringr, jsonlite (>= 1.5.0), purrr, rvest, tidyverse (>= 1.0.0), rappdirs, readr, xml2, units, utils, rlang, crayon, tidyselect

Suggests ggplot2, survey, srvyr, terra

RoxygenNote 7.1.2

NeedsCompilation no

Author Kyle Walker [aut, cre],
Matt Herman [aut],
Kris Eberwein [ctb]

Maintainer Kyle Walker <kyle@walker-data.com>

Repository CRAN

Date/Publication 2022-04-21 11:40:02 UTC

R topics documented:

acs5_geography	2
as_dot_density	3
census_api_key	5
county_laea	6
fips_codes	7
get_acs	8
get_decennial	10
get_estimates	12
get_flows	14
get_pums	17
interpolate_pw	18
load_variables	21
mig_recodes	22
moe_product	22
moe_prop	23
moe_ratio	23
moe_sum	24
pums_variables	24
significance	25
state_laea	26
tidycensus	26
to_survey	27

Index	28
--------------	-----------

acs5_geography	<i>Dataset used to identify geography availability in the 5-year ACS Detailed Tables</i>
----------------	--

Description

Built-in dataset for use by `load_variables()` to identify the smallest geography at which 5-year ACS data are available

- `table`: The ACS Table ID
- `geography`: The smallest geography at which a given table is available for a given year
- `year`: The endyear of the 5-year ACS dataset

Usage

```
data(acs5_geography)
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 10033 rows and 3 columns.

Details

Dataset used to identify geography availability in the 5-year ACS Detailed Tables

Built-in dataset that includes information on the smallest geography at which 5-year ACS Detailed Tables data are available, by table, since 2011. This dataset is used internally by `load_variables()` to add a `geography` column when variables are retrieved for a 5-year ACS Detailed Tables dataset.

as_dot_density

Convert polygon geometry to dots for dot-density mapping

Description

Dot-density maps are a compelling alternative to choropleth maps for cartographic visualization of demographic data as they allow for representation of the internal heterogeneity of geographic units. This function helps users generate dots from an input polygon dataset intended for dot-density mapping. Dots are placed randomly within polygons according to a given data:dots ratio; for example, a ratio of 100:1 for an input population value column will place approximately 1 dot in the polygon for every 100 people in the geographic unit. Users can then map the dots using tools like `ggplot2::geom_sf()` or `tmap::tm_dots()`.

Usage

```
as_dot_density(  
  input_data,  
  value,  
  values_per_dot,  
  group = NULL,  
  erase_water = FALSE,  
  area_threshold = NULL  
)
```

Arguments

<code>input_data</code>	An input sf object of geometry type POLYGON or MULTIPOLYGON that includes some information that can be converted to dots. While the function is designed for use with data acquired with the <code>tidycensus</code> package, it will work for arbitrary polygon datasets.
<code>value</code>	The value column to be used to determine the number of dots to generate. For <code>tidycensus</code> users, this will typically be the "value" column for decennial Census data or the "estimate" column for American Community Survey estimates.
<code>values_per_dot</code>	The number of values per dot; used to determine the output data:dots ratio. A value of 100 means that each dot will represent approximately 100 values in the value column.
<code>group</code>	A column in the dataset that identifies salient groups within which dots should be generated. For a long-form <code>tidycensus</code> dataset, this will typically be the "variable" column or some derivative of it. The output dataset will be randomly shuffled to prevent "stacking" of groups in downstream dot-density maps.

erase_water	If TRUE, calls <code>tigris::erase_water()</code> to remove water areas from the polygons prior to generating dots, allowing for dasymetric dot placement. This option is recommended if your location includes significant water area. If using this option, it is recommended that you first transform your data to a projected coordinate reference system using <code>sf::st_transform()</code> to improve performance. This argument only works for data in the United States.
area_threshold	The area percentile threshold to be used when erasing water; ranges from 0 (all water area included) to 1 (no water area included)

Details

`as_dot_density()` uses `terra::dots()` internally for fast creation of dots. As `terra` is not a hard dependency of the `tidycensus` package, users must first install `terra` before using this function.

The `erase_water` parameter will internally call `tigris::erase_water()` to fetch water area for a given location in the United States and remove that water area from the polygons before placing dots in polygons. This will slow down performance of the function, but can improve cartographic accuracy in locations with significant water area. It is recommended that users transform their data into a projected coordinate reference system with `sf::st_transform()` prior to using this option in order to improve performance.

Value

The original dataset but of geometry type `POINT`, with the number of point features corresponding to the given value:dot ratio for a given group.

Examples

Not run:

```
library(tidycensus)
library(ggplot2)

# Identify variables for mapping
race_vars <- c(
  Hispanic = "P2_002N",
  White = "P2_005N",
  Black = "P2_006N",
  Asian = "P2_008N"
)

# Get data from tidycensus
baltimore_race <- get_decennial(
  geography = "tract",
  variables = race_vars,
  state = "MD",
  county = "Baltimore city",
  geometry = TRUE,
  year = 2020
)

# Convert data to dots
```

```
baltimore_dots <- as_dot_density(  
  baltimore_race,  
  value = "value",  
  values_per_dot = 100,  
  group = "variable"  
)  
  
# Use one set of polygon geometries as a base layer  
baltimore_base <- baltimore_race[baltimore_race$variable == "Hispanic", ]  
  
# Map with ggplot2  
ggplot() +  
  geom_sf(data = baltimore_base,  
          fill = "white",  
          color = "grey") +  
  geom_sf(data = baltimore_dots,  
          aes(color = variable),  
          size = 0.01) +  
  theme_void()  
  
## End(Not run)
```

census_api_key*Install a CENSUS API Key in Your .Renviron File for Repeated Use*

Description

This function will add your CENSUS API key to your .Renviron file so it can be called securely without being stored in your code. After you have installed your key, it can be called any time by typing `Sys.getenv("CENSUS_API_KEY")` and can be used in package functions by simply typing `CENSUS_API_KEY`. If you do not have an .Renviron file, the function will create one for you. If you already have an .Renviron file, the function will append the key to your existing file, while making a backup of your original file for disaster recovery purposes.

Usage

```
census_api_key(key, overwrite = FALSE, install = FALSE)
```

Arguments

<code>key</code>	The API key provided to you from the Census formatted in quotes. A key can be acquired at http://api.census.gov/data/key_signup.html
<code>overwrite</code>	If this is set to TRUE, it will overwrite an existing <code>CENSUS_API_KEY</code> that you already have in your .Renviron file.
<code>install</code>	if TRUE, will install the key in your .Renviron file for use in future sessions. Defaults to FALSE.

Examples

```

## Not run:
census_api_key("111111abc", install = TRUE)
# First time, reload your environment so you can use the key without restarting R.
readRenviron("~/Renviron")
# You can check it with:
Sys.getenv("CENSUS_API_KEY")

## End(Not run)

## Not run:
# If you need to overwrite an existing key:
census_api_key("111111abc", overwrite = TRUE, install = TRUE)
# First time, reload your environment so you can use the key without restarting R.
readRenviron("~/Renviron")
# You can check it with:
Sys.getenv("CENSUS_API_KEY")

## End(Not run)

```

county_laea

County geometry with Alaska and Hawaii shifted and re-scaled

Description

Built-in dataset for use with `shift_geo = TRUE`

Dataset of US counties with Alaska and Hawaii shifted and re-scaled

Usage

```
data(county_laea)
```

```
data(county_laea)
```

Format

An object of class `sf` (inherits from `data.frame`) with 3143 rows and 2 columns.

Details

Dataset with county geometry for use when shifting Alaska and Hawaii

Built-in dataset for use with the `shift_geo` parameter, with the continental United States in a Lambert azimuthal equal area projection and Alaska and Hawaii counties and Census areas shifted and re-scaled. The data were originally obtained from the `albersusa` R package (<https://github.com/hrbrmstr/albersusa>).

fips_codes*Dataset with FIPS codes for US states and counties*

Description

Built-in dataset for smart state and county lookup. To access the data directly, issue the command `data(fips_codes)`.

- `county`: County name, title-case
- `county_code`: County code. (3-digit, 0-padded, character)
- `state`: Upper-case abbreviation of state
- `state_code`: State FIPS code (2-digit, 0-padded, character)
- `state_name`: Title-case name of state

Usage

```
data(fips_codes)
```

Format

An object of class `data.frame` with 3247 rows and 5 columns.

Details

Dataset with FIPS codes for US states and counties

Built-in dataset for use with the `lookup_code` function. To access the data directly, issue the command `data(fips_codes)`.

Note: this dataset includes FIPS codes for all counties that have appeared in the decennial Census or American Community Survey from 2010 to the present. This means that counties that have been renamed or absorbed into other geographic entities since 2010 remain in this dataset along with newly added or renamed counties.

If you need the FIPS codes and names for counties for a particular Census year, you can use the `counties` function from the `tigris` package and set the `year` parameter as required.

get_acs*Obtain data and feature geometry for the American Community Survey*

Description

Obtain data and feature geometry for the American Community Survey

Usage

```
get_acs(
  geography,
  variables = NULL,
  table = NULL,
  cache_table = FALSE,
  year = 2020,
  endyear = NULL,
  output = "tidy",
  state = NULL,
  county = NULL,
  zcta = NULL,
  geometry = FALSE,
  keep_geo_vars = FALSE,
  shift_geo = FALSE,
  summary_var = NULL,
  key = NULL,
  moe_level = 90,
  survey = "acs5",
  show_call = FALSE,
  ...
)
```

Arguments

geography	The geography of your data.
variables	Character string or vector of character strings of variable IDs. <code>tidycensus</code> automatically returns the estimate and the margin of error associated with the variable.
table	The ACS table for which you would like to request all variables. Uses lookup tables to identify the variables; performs faster when variable table already exists through <code>load_variables(cache = TRUE)</code> . Only one table may be requested per call.
cache_table	Whether or not to cache table names for faster future access. Defaults to FALSE; if TRUE, only needs to be called once per dataset. If variables dataset is already cached via the <code>load_variables</code> function, this can be bypassed.

year	The year, or endyear, of the ACS sample. 5-year ACS data is available from 2009 through 2020; 1-year ACS data is available from 2005 through 2019. Defaults to 2020; 1-year ACS users should supply a different year directly.
endyear	Deprecated and will be removed in a future release.
output	One of "tidy" (the default) in which each row represents an enumeration unit-variable combination, or "wide" in which each row represents an enumeration unit and the variables are in the columns.
state	An optional vector of states for which you are requesting data. State names, postal codes, and FIPS codes are accepted. Defaults to NULL.
county	The county for which you are requesting data. County names and FIPS codes are accepted. Must be combined with a value supplied to 'state'. Defaults to NULL.
zcta	The zip code tabulation area(s) for which you are requesting data. Specify a single value or a vector of values to get data for more than one ZCTA. Numeric or character ZCTA GEOIDs are accepted. When specifying ZCTAs, geography must be set to "zcta" and 'state' must be specified with 'county' left as 'NULL'. Defaults to NULL.
geometry	if FALSE (the default), return a regular tibble of ACS data. if TRUE, uses the tigris package to return an sf tibble with simple feature geometry in the 'geometry' column.
keep_geo_vars	if TRUE, keeps all the variables from the Census shapefile obtained by tigris. Defaults to FALSE.
shift_geo	(deprecated) if TRUE, returns geometry with Alaska and Hawaii shifted for thematic mapping of the entire US. Geometry was originally obtained from the albersusa R package. As of May 2021, we recommend using <code>tigris::shift_geometry()</code> instead.
summary_var	Character string of a "summary variable" from the ACS to be included in your output. Usually a variable (e.g. total population) that you'll want to use as a denominator or comparison.
key	Your Census API key. Obtain one at https://api.census.gov/data/key_signup.html
moe_level	The confidence level of the returned margin of error. One of 90 (the default), 95, or 99.
survey	The ACS contains one-year, three-year, and five-year surveys expressed as "acs1", "acs3", and "acs5". The default selection is "acs5."
show_call	if TRUE, display call made to Census API. This can be very useful in debugging and determining if error messages returned are due to <code>tidycensus</code> or the Census API. Copy to the API call into a browser and see what is returned by the API directly. Defaults to FALSE.
...	Other keyword arguments

Value

A tibble or sf tibble of ACS data

Examples

```

## Not run:
library(tidycensus)
library(tidyverse)
library(viridis)
census_api_key("YOUR KEY GOES HERE")

tarr <- get_acs(geography = "tract", variables = "B19013_001",
                 state = "TX", county = "Tarrant", geometry = TRUE, year = 2020)

ggplot(tarr, aes(fill = estimate, color = estimate)) +
  geom_sf() +
  coord_sf(crs = 26914) +
  scale_fill_viridis(option = "magma") +
  scale_color_viridis(option = "magma")

vt <- get_acs(geography = "county", variables = "B19013_001", state = "VT", year = 2019)

vt %>%
  mutate(NAME = gsub(" County, Vermont", "", NAME)) %>%
  ggplot(aes(x = estimate, y = reorder(NAME, estimate))) +
  geom_errorbar(aes(xmin = estimate - moe, xmax = estimate + moe), width = 0.3, size = 0.5) +
  geom_point(color = "red", size = 3) +
  labs(title = "Household income by county in Vermont",
       subtitle = "2015-2019 American Community Survey",
       y = "",
       x = "ACS estimate (bars represent margin of error)")

## End(Not run)

```

get_decennial	<i>Obtain data and feature geometry for the decennial US Census</i>
---------------	---

Description

Obtain data and feature geometry for the decennial US Census

Usage

```
get_decennial(
  geography,
  variables = NULL,
  table = NULL,
  cache_table = FALSE,
  year = 2010,
  sumfile = "sf1",
  state = NULL,
```

```

  county = NULL,
  geometry = FALSE,
  output = "tidy",
  keep_geo_vars = FALSE,
  shift_geo = FALSE,
  summary_var = NULL,
  key = NULL,
  show_call = FALSE,
  ...
)

```

Arguments

geography	The geography of your data.
variables	Character string or vector of character strings of variable IDs.
table	The Census table for which you would like to request all variables. Uses lookup tables to identify the variables; performs faster when variable table already exists through <code>load_variables(cache = TRUE)</code> . Only one table may be requested per call.
cache_table	Whether or not to cache table names for faster future access. Defaults to FALSE; if TRUE, only needs to be called once per dataset. If variables dataset is already cached via the <code>load_variables</code> function, this can be bypassed.
year	The year for which you are requesting data. Defaults to 2010; 2000, 2010, and 2020 are available.
sumfile	The Census summary file. Defaults to sf1; the function will look in sf3 if it cannot find a variable in sf1.
state	The state for which you are requesting data. State names, postal codes, and FIPS codes are accepted. Defaults to NULL.
county	The county for which you are requesting data. County names and FIPS codes are accepted. Must be combined with a value supplied to 'state'. Defaults to NULL.
geometry	if FALSE (the default), return a regular tibble of ACS data. if TRUE, uses the tigris package to return an sf tibble with simple feature geometry in the 'geometry' column. state, county, tract, and block group are supported for 2000 through 2020; block and ZCTA geometry are supported for 2000 and 2010.
output	One of "tidy" (the default) in which each row represents an enumeration unit-variable combination, or "wide" in which each row represents an enumeration unit and the variables are in the columns.
keep_geo_vars	if TRUE, keeps all the variables from the Census shapefile obtained by tigris. Defaults to FALSE.
shift_geo	(deprecated) if TRUE, returns geometry with Alaska and Hawaii shifted for thematic mapping of the entire US. Geometry was originally obtained from the albersusa R package. As of May 2021, we recommend using <code>tigris::shift_geometry()</code> instead.

summary_var	Character string of a "summary variable" from the decennial Census to be included in your output. Usually a variable (e.g. total population) that you'll want to use as a denominator or comparison.
key	Your Census API key. Obtain one at https://api.census.gov/data/key_signup.html
show_call	if TRUE, display call made to Census API. This can be very useful in debugging and determining if error messages returned are due to tidy census or the Census API. Copy to the API call into a browser and see what is returned by the API directly. Defaults to FALSE.
...	Other keyword arguments

Value

a tibble or sf tibble of decennial Census data

Examples

```
## Not run:
# Plot of race/ethnicity by county in Illinois for 2010
library(tidy census)
library(tidyverse)
library(viridis)
census_api_key("YOUR KEY GOES HERE")
vars10 <- c("P005003", "P005004", "P005006", "P004003")

il <- get_decennial(geography = "county", variables = vars10, year = 2010,
                     summary_var = "P001001", state = "IL", geometry = TRUE) %>%
  mutate(pct = 100 * (value / summary_value))

ggplot(il, aes(fill = pct, color = pct)) +
  geom_sf() +
  facet_wrap(~variable)

## End(Not run)
```

Description

Get data from the US Census Bureau Population Estimates APIs

Usage

```
get_estimates(
  geography,
  product = NULL,
  variables = NULL,
  breakdown = NULL,
  breakdown_labels = FALSE,
  year = 2019,
  state = NULL,
  county = NULL,
  time_series = FALSE,
  output = "tidy",
  geometry = FALSE,
  keep_geo_vars = FALSE,
  shift_geo = FALSE,
  key = NULL,
  show_call = FALSE,
  ...
)
```

Arguments

geography	The geography of your data.
product	The data product (optional). "population", "components" "housing", and "characteristics" are supported.
variables	A character string or vector of character strings of requested variables to get from either the population, components, or housing API.
breakdown	The population breakdown used when product = "characteristics". Acceptable values are "AGEGROUP", "RACE", "SEX", and "HISP", for Hispanic/Not Hispanic. These values can be combined in a vector, returning population estimates in the value column for all combinations of these breakdowns.
breakdown_labels	Whether or not to label breakdown elements returned when product = "characteristics". Defaults to FALSE.
year	The data year (defaults to 2019)
state	The state for which you are requesting data. State names, postal codes, and FIPS codes are accepted. Defaults to NULL.
county	The county for which you are requesting data. County names and FIPS codes are accepted. Must be combined with a value supplied to 'state'. Defaults to NULL.
time_series	If TRUE, the function will return a time series of observations back to the decennial Census of 2010. The returned column is either "DATE", representing a particular estimate date, or "PERIOD", representing a time period (e.g. births between 2016 and 2017), and contains integers representing those values. Integer to date or period mapping is available at https://www.census.gov/data/developers/data-sets/popest-popproj/popest-popest-vars/2019.html .

output	One of "tidy" (the default) in which each row represents an enumeration unit-variable combination, or "wide" in which each row represents an enumeration unit and the variables are in the columns.
geometry	if FALSE (the default), return a regular tibble of ACS data. if TRUE, uses the tigris package to return an sf tibble with simple feature geometry in the 'geometry' column.
keep_geo_vars	if TRUE, keeps all the variables from the Census shapefile obtained by tigris. Defaults to FALSE.
shift_geo	(deprecated) if TRUE, returns geometry with Alaska and Hawaii shifted for thematic mapping of the entire US. As of May 2021, we recommend using tigris::shift_geometry() instead.
key	Your Census API key. Obtain one at https://api.census.gov/data/key_signup.html . Can be stored in your .Renvironment with census_api_key("YOUR KEY", install = TRUE)
show_call	if TRUE, display call made to Census API. This can be very useful in debugging and determining if error messages returned are due to tidycensus or the Census API. Copy to the API call into a browser and see what is returned by the API directly. Defaults to FALSE.
...	other keyword arguments

Value

A tibble, or sf tibble, of population estimates data

get_flows	<i>Obtain data and feature geometry for American Community Survey Migration Flows</i>
-----------	---

Description

Obtain data and feature geometry for American Community Survey Migration Flows

Usage

```
get_flows(
  geography,
  variables = NULL,
  breakdown = NULL,
  breakdown_labels = FALSE,
  year = 2018,
  output = "tidy",
  state = NULL,
  county = NULL,
  msa = NULL,
  geometry = FALSE,
```

```

  key = NULL,
  moe_level = 90,
  show_call = FALSE
)

```

Arguments

geography	The geography of your requested data. Possible values are "county", "county subdivision", and "metropolitan statistical area". MSA data is only available beginning with the 2009-2013 5-year ACS.
variables	Character string or vector of character strings of variable names. By default, <code>get_flows()</code> returns the GEOID and names of the geographies as well as the number of people who moved in, out, and net movers of each geography ("MOVEDIN", "MOVEDOUT", "MOVEDNET"). If additional variables are specified, they are pulled in addition to the default variables. The names of additional variables can be found in the Census Migration Flows API documentation at https://api.census.gov/data/2018/acs/flows/variables.html .
breakdown	A character vector of the population breakdown characteristics to be crossed with migration flows data. For datasets between 2006-2010 and 2011-2015, selected demographic characteristics such as age, race, employment status, etc. are available. Possible values are "AGE", "SEX", "RACE", "HSGP", "REL", "HHT", "TEN", "ENG", "POB", "YEARS", "ESR", "OCC", "WKS", "SCHL", "AHINC", "APINC", and "HISP_ORIGIN". For more information and to see which characteristics are available in each year, visit the Census Migration Flows documentation at https://www.census.gov/data/developers/data-sets/acs-migration-flows.html . Note: not all characteristics are available in all years.
breakdown_labels	Whether or not to add columns with labels for the breakdown characteristic codes. Defaults to FALSE.
year	The year, or endyear, of the ACS sample. The Migration Flows API is available for 5-year ACS samples from 2010 to 2018. Defaults to 2018.
output	One of "tidy" (the default) in which each row represents an enumeration unit-variable combination, or "wide" in which each row represents an enumeration unit and the variables are in the columns.
state	An optional vector of states for which you are requesting data. State names, postal codes, and FIPS codes are accepted. When requesting county subdivision data, you must specify at least one state.
county	The county for which you are requesting data. County names and FIPS codes are accepted. Must be combined with a value supplied to 'state'.
msa	The metropolitan statistical area for which you are requesting data. Specify a single value or a vector of values to get data for more than one MSA. Numeric or character MSA GEOIDs are accepted. When specifying MSAs, geography must be set to "metropolitan statistical area" and state and county must be NULL.

geometry	if FALSE (the default), return a tibble of ACS Migration Flows data. If TRUE, return an sf object with the centroids of both origin and destination as sf _c _POINT columns. The origin point feature is returned in a column named centroid1 and is the active geometry column in the sf object. The destination point feature is returned in the centroid2 column.
key	Your Census API key. Obtain one at https://api.census.gov/data/key_signup.html
moe_level	The confidence level of the returned margin of error. One of 90 (the default), 95, or 99.
show_call	if TRUE, display call made to Census API. This can be very useful in debugging and determining if error messages returned are due to tidycensus or the Census API. Copy to the API call into a browser and see what is returned by the API directly. Defaults to FALSE.

Value

A tibble or sf tibble of ACS Migration Flows data

Examples

```
## Not run:
get_flows(
  geography = "county",
  state = "VT",
  county = c("Washington", "Chittenden")
)

get_flows(
  geography = "county subdivision",
  breakdown = "RACE",
  breakdown_labels = TRUE,
  state = "NY",
  county = "Westchester",
  output = "wide",
  year = 2015
)

get_flows(
  geography = "metropolitan statistical area",
  variables = c("POP1YR", "POP1YRAGO"),
  geometry = TRUE,
  output = "wide",
  show_call = TRUE
)

## End(Not run)
```

get_pums	<i>Load data from the American Community Survey Public Use Microdata Series API</i>
----------	---

Description

Load data from the American Community Survey Public Use Microdata Series API

Usage

```
get_pums(  
  variables = NULL,  
  state = NULL,  
  puma = NULL,  
  year = 2020,  
  survey = "acs5",  
  variables_filter = NULL,  
  rep_weights = NULL,  
  recode = FALSE,  
  return_vacant = FALSE,  
  show_call = FALSE,  
  key = NULL  
)
```

Arguments

variables	A vector of variables from the PUMS API. Use <code>View(pums_variables)</code> to browse variable options.
state	A state, or vector of states, for which you would like to request data. The entire US can be requested with <code>state = "all"</code> - though be patient with the data download!
puma	A vector of PUMAs from a single state, for which you would like to request data. To get data from PUMAs in more than one state, specify a named vector of state/PUMA pairs and set <code>state = "multiple"</code> .
year	The data year of the 1-year ACS sample or the endyear of the 5-year sample. Defaults to 2020. Please note that 1-year data for 2020 is not available in <code>tidycensus</code> , so users requesting 1-year data should supply a different year.
survey	The ACS survey; one of either <code>"acs1"</code> or <code>"acs5"</code> (the default).
variables_filter	A named list of filters you'd like to return from the PUMS API. For example, passing <code>list(AGE = 25:50, SEX = 1)</code> will return only males aged 25 to 50 in your output dataset. Defaults to <code>NULL</code> , which returns all records. If a housing-only dataset is required, use <code>list(SPORDER = 1)</code> to only return household records (taking care in your analysis to use the household weight <code>WGTP</code>).

rep_weights	Whether or not to return housing unit, person, or both housing and person-level replicate weights for calculation of standard errors; one of "person", "housing", or "both".
recode	If TRUE, recodes variable values using Census data dictionary and creates a new *_label column for each variable that is recoded. Available for 2017 - 2020 data. Defaults to FALSE.
return_vacant	If TRUE, makes a separate request to the Census API to retrieve microdata for vacant housing units, which are handled differently in the API as they do not have person-level characteristics. All person-level columns in the returned dataset will be populated with NA for vacant housing units. Defaults to FALSE.
show_call	If TRUE, display call made to Census API. This can be very useful in debugging and determining if error messages returned are due to tidy census or the Census API. Copy to the API call into a browser and see what is returned by the API directly. Defaults to FALSE.
key	Your Census API key. Obtain one at https://api.census.gov/data/key_signup.html

Value

A tibble of microdata from the ACS PUMS API.

Examples

```
## Not run:
get_pums(variables = "AGEP", state = "VT")
get_pums(variables = "AGEP", state = "multiple", puma = c("UT" = 35008, "NV" = 00403))
get_pums(variables = c("AGEP", "ANC1P"), state = "VT", recode = TRUE)
get_pums(variables = "AGEP", state = "VT", survey = "acs1", rep_weights = "person")

## End(Not run)
```

interpolate_pw	<i>Use population-weighted interpolation to transfer information from one set of shapes to another</i>
----------------	--

Description

A common use-case when working with time-series small-area Census data is to transfer data from one set of shapes (e.g. 2010 Census tracts) to another set of shapes (e.g. 2020 Census tracts). Population-weighted interpolation is one such solution to this problem that takes into account the distribution of the population within a Census unit to intelligently transfer data between incongruent units.

Usage

```
interpolate_pw(
  from,
  to,
  to_id = NULL,
  extensive,
  weights,
  weight_column = NULL,
  weight_placement = c("surface", "centroid"),
  crs = NULL
)
```

Arguments

from	The spatial dataset from which numeric attributes will be interpolated to target zones. By default, all numeric columns in this dataset will be interpolated.
to	The target geometries (zones) to which numeric attributes will be interpolated.
to_id	(optional) An ID column in the target dataset to be retained in the output. For data obtained with <code>tidycensus</code> , this will be "GEOID" by convention. If <code>NULL</code> , the output dataset will include a column <code>id</code> that uniquely identifies each row.
extensive	if <code>TRUE</code> , return weighted sums; if <code>FALSE</code> , return weighted means.
weights	An input spatial dataset to be used as weights. If the dataset is not of geometry type <code>POINT</code> , it will be converted to points by the function with <code>sf::st_point_on_surface()</code> . For US-based applications, this will commonly be a Census block dataset obtained with the <code>tigris</code> or <code>tidycensus</code> packages.
weight_column	(optional) a column in <code>weights</code> used for weighting in the interpolation process. Typically this will be a column representing the population (or other weighting metric, like housing units) of the input weights dataset. If <code>NULL</code> (the default), each feature in <code>weights</code> is given an equal weight of 1.
weight_placement	(optional) One of "surface", where weight polygons are converted to points on polygon surfaces with <code>sf::st_point_on_surface()</code> , or "centroid", where polygon centroids are used instead with <code>sf::st_centroid()</code> . Defaults to "surface". This argument is not necessary if weights are already of geometry type <code>POINT</code> .
crs	(optional) The EPSG code of the output projected coordinate reference system (CRS). Useful as all input layers (<code>from</code> , <code>to</code> , and <code>weights</code>) must share the same CRS for the function to run correctly.

Details

The approach implemented here is based on Esri's data apportionment algorithm, in which an "apportionment layer" of points (referred to here as the `weights`) is used to determine how to weight areas of overlap between origin and target zones. Users must supply a "from" dataset as an `sf` object (the dataset from which numeric columns will be interpolated) and a "to" dataset, also of class `sf`, that contains the target zones. A third `sf` object, the "`weights`", may be an object of geometry type `POINT` or polygons from which points will be derived using `sf::st_point_on_surface()`.

An intersection is computed between `from` and `to`, and a spatial join is computed between the intersection layer and the weights layer, represented as points. A specified `weight_column` in `weights` will be used to determine the relative influence of each point on the allocation of values between `from` and `to`; if no weight column is specified, all points will be weighted equally.

The `extensive` parameter (logical) should reflect the values being interpolated correctly. If `TRUE`, the function returns a weighted sum for each zone. If `FALSE`, a weighted mean will be returned. For Census data, `extensive = TRUE` should be used for transferring counts / estimated counts between zones. Derived metrics (e.g. population density, percentages, etc.) should use `extensive = FALSE`. Margins of error in the ACS will not be transferred correctly with this function, so please use with caution.

Value

A dataset of class `sf` with the geometries and an ID column `from` to (the target shapes) but with numeric attributes of `from` interpolated to those shapes.

Examples

```
## Not run:
# Example: interpolating work-from-home from 2011-2015 ACS
# to 2020 shapes
library(tidy census)
library(tidyverse)
library(tigris)
options(tigris_use_cache = TRUE)

wfh_15 <- get_acs(
  geography = "tract",
  variables = "B08006_017",
  year = 2015,
  state = "AZ",
  county = "Maricopa",
  geometry = TRUE
) %>%
  select(estimate)

wfh_20 <- get_acs(
  geography = "tract",
  variables = "B08006_017",
  year = 2020,
  state = "AZ",
  county = "Maricopa",
  geometry = TRUE
)

maricopa_blocks <- blocks(
  "AZ",
  "Maricopa",
  year = 2020
)
```

```
wfh_15_to_20 <- interpolate_pw(
  from = wfh_15,
  to = wfh_20,
  to_id = "GEOID",
  weights = maricopa_blocks,
  weight_column = "POP20",
  crs = 26949,
  extensive = TRUE
)

## End(Not run)
```

load_variables*Load variables from a decennial Census or American Community Survey dataset to search in R*

Description

Load variables from a decennial Census or American Community Survey dataset to search in R

Usage

```
load_variables(year, dataset, cache = FALSE)
```

Arguments

year	The year for which you are requesting variables. Either the year or endyear of the decennial Census or ACS sample. 5-year ACS data is available from 2009 through 2018. 1-year ACS data is available from 2005 through 2019.
dataset	One of "sf1", "sf2", "sf3", "sf4", "pl", "as", "gu", "mp", "vi", "acs1", "acs3", "acs5", "acs1/profile", "acs3/profile", "acs5/profile", "acs1/subject", "acs3/subject", or "acs5/subject".
cache	Whether you would like to cache the dataset for future access, or load the dataset from an existing cache. Defaults to FALSE.

Value

A tibble of variables from the requested dataset.

Examples

```
## Not run:
v15 <- load_variables(2015, "acs5", cache = TRUE)
View(v15)

## End(Not run)
```

mig_recodes*Dataset with Migration Flows characteristic recodes*

Description

Built-in dataset for Migration Flows code label lookup.

- **characteristic**: Characteristic variable name
- **code**: Characteristic value code
- **desc**: Characteristic value label
- **ordered**: Whether or not recoded value should be ordered factor

Usage

```
data(mig_recodes)
```

Format

An object of class `spec_tbl_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 120 rows and 4 columns.

Details

Dataset with Migration Flows characteristic recodes

Built-in dataset that is created from the [Migration Flows API documentation](#). This dataset contains labels for the coded values returned by the Census API and is used when `breakdown_labels = TRUE` in [get_flows](#).

moe_product*Calculate the margin of error for a derived product*

Description

Calculate the margin of error for a derived product

Usage

```
moe_product(est1, est2, moe1, moe2)
```

Arguments

<code>est1</code>	The first factor in the multiplication equation (an estimate)
<code>est2</code>	The second factor in the multiplication equation (an estimate)
<code>moe1</code>	The margin of error of the first factor
<code>moe2</code>	The margin of error of the second factor

Value

A margin of error for a derived product

moe_prop

Calculate the margin of error for a derived proportion

Description

Calculate the margin of error for a derived proportion

Usage

`moe_prop(num, denom, moe_num, moe_denom)`

Arguments

num	The numerator involved in the proportion calculation (an estimate)
denom	The denominator involved in the proportion calculation (an estimate)
moe_num	The margin of error of the numerator
moe_denom	The margin of error of the denominator

Value

A margin of error for a derived proportion

moe_ratio

Calculate the margin of error for a derived ratio

Description

Calculate the margin of error for a derived ratio

Usage

`moe_ratio(num, denom, moe_num, moe_denom)`

Arguments

num	The numerator involved in the ratio calculation (an estimate)
denom	The denominator involved in the ratio calculation (an estimate)
moe_num	The margin of error of the numerator
moe_denom	The margin of error of the denominator

Value

A margin of error for a derived ratio

moe_sum*Calculate the margin of error for a derived sum*

Description

Generates a margin of error for a derived sum. The function requires a vector of margins of error involved in a sum calculation, and optionally a vector of estimates associated with the margins of error. If the associated estimates are not specified, the user risks inflating the derived margin of error in the event of multiple zero estimates. It is recommended to inspect your data for multiple zero estimates before using this function and setting the inputs accordingly.

Usage

```
moe_sum(moe, estimate = NULL, na.rm = FALSE)
```

Arguments

<code>moe</code>	A vector of margins of error involved in the sum calculation
<code>estimate</code>	A vector of estimates, the same length as <code>moe</code> , associated with the margins of error
<code>na.rm</code>	A logical value indicating whether missing values (including NaN) should be removed

Value

A margin of error for a derived sum

See Also

https://www2.census.gov/programs-surveys/acs/tech_docs/accuracy/MultiyearACSAccuracyofData2015.pdf

pums_variables*Dataset with PUMS variables and codes*

Description

Built-in dataset for variable name and code label lookup. To access the data directly, issue the command `data(pums_variables)`.

- `survey`: acs1 or acs5
- `year`: Year of data. For 5-year data, last year in range.
- `var_code`: Variable name
- `var_label`: Variable label

- `data_type`: chr or num
- `level`: housing or person
- `val_min`: For numeric variables, the minimum value
- `val_max`: For numeric variables, the maximum value
- `val_label`: Value label
- `recode`: Use labels to recode values
- `val_length`: Length of value returned
- `val_na`: Value of NA value returned by API (if known)

Usage

```
data(pums_variables)
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 37021 rows and 12 columns.

Details

Dataset with PUMS variables and codes

Built-in dataset that is created from the [Census PUMS data dictionaries](#). Use this dataset to lookup the names of variables to use in `get_pums`. This dataset also contains labels for the coded values returned by the Census API and is used when `recode = TRUE` in `get_pums`.

Because variable names and codes change from year to year, you should filter this dataset for the survey and year of interest. NOTE: 2017 - 2019 acs1 and 2017 - 2020 acs5 variables are available.

<code>significance</code>	<i>Evaluate whether the difference in two estimates is statistically significant.</i>
---------------------------	---

Description

Evaluate whether the difference in two estimates is statistically significant.

Usage

```
significance(est1, est2, moe1, moe2, clevel = 0.9)
```

Arguments

<code>est1</code>	The first estimate.
<code>est2</code>	The second estimate
<code>moe1</code>	The margin of error of the first estimate
<code>moe2</code>	The margin of error of the second estimate
<code>clevel</code>	The confidence level. May be 0.9, 0.95, or 0.99

Value

TRUE if the difference is statistically significant, FALSE otherwise.

See Also

https://www.census.gov/content/dam/Census/library/publications/2018/acs/acs_general_handbook_2018_ch07.pdf

state_laea

State geometry with Alaska and Hawaii shifted and re-scaled

Description

Built-in dataset for use with `shift_geo = TRUE`

Dataset of US states with Alaska and Hawaii shifted and re-scaled

Usage

```
data(state_laea)
```

```
data(state_laea)
```

Format

An object of class `sf` (inherits from `data.frame`) with 51 rows and 2 columns.

Details

Dataset with state geometry for use when shifting Alaska and Hawaii

Built-in dataset for use with the `shift_geo` parameter, with the continental United States in a Lambert azimuthal equal area projection and Alaska and Hawaii shifted and re-scaled. The data were originally obtained from the `albersusa` R package (<https://github.com/hrbrmstr/albersusa>).

tidycensus

Return tidy data frames from the US Census Bureau API

Description

This package uses US Census Bureau data but is neither endorsed nor supported by the US Census Bureau.

Author(s)

Kyle Walker

to_survey*Convert a data frame returned by `get_pums()` to a survey object*

Description

This helper function takes a data frame returned by `get_pums` and converts it to a `tbl_svy` from the `srvyr` `as_survey` package or a `svyrep.design` object from the `svrepdesign` package. You can then use functions from the `srvyr` or `survey` to calculate weighted estimates with replicate weights included to provide accurate standard errors.

Usage

```
to_survey(  
  df,  
  type = c("person", "housing"),  
  class = c("srvyr", "survey"),  
  design = "rep_weights"  
)
```

Arguments

<code>df</code>	A data frame with PUMS person or housing weight variables, most likely returned by <code>get_pums</code> .
<code>type</code>	Whether to use person or housing-level weights; either "housing" or "person" (the default).
<code>class</code>	Whether to convert to a <code>srvyr</code> or <code>survey</code> object; either "survey" or "srvyr" (the default).
<code>design</code>	The survey design to use when creating a survey object. Currently the only option is code"rep_weights"/.

Value

A `tbl_svy` or `svyrep.design` object.

Examples

```
## Not run:  
pums <- get_pums(variables = "AGEP", state = "VT", rep_weights = "person")  
pums_design <- to_survey(pums, type = "person", class = "srvyr")  
survey::svymean(~AGEP, pums_design)  
  
## End(Not run)
```

Index

* datasets

acs5_geography, 2
county_laea, 6
fips_codes, 7
mig_recodes, 22
pums_variables, 24
state_laea, 26

acs5_geography, 2
as_dot_density, 3
as_survey, 27

census_api_key, 5
counties, 7
county_laea, 6

fips_codes, 7

get_acs, 8
get_decennial, 10
get_estimates, 12
get_flows, 14, 22
get_pums, 17, 25, 27

interpolate_pw, 18

load_variables, 21

mig_recodes, 22
moe_product, 22
moe_prop, 23
moe_ratio, 23
moe_sum, 24

pums_variables, 24

significance, 25
state_laea, 26
svrepdesign, 27

tidycensus, 26
to_survey, 27