

# Package ‘wpp2008’

February 20, 2015

**Version** 1.0-1

**Date** 2014-1-17

**Title** World Population Prospects 2008

**Author** Hana Sevcikova <hanas@uw.edu>, Patrick Gerland <gerland@un.org>

**Maintainer** Hana Sevcikova <hanas@uw.edu>

**Depends** R (>= 2.14.2)

**Description** Data from the United Nation's World Population Prospects 2008

**License** GPL (>= 2)

**URL** <http://esa.un.org/wpp/index.htm>

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2014-01-17 15:02:17

## R topics documented:

wpp2008-package . . . . .	2
e0 . . . . .	3
migration . . . . .	4
mx . . . . .	5
percentASFR . . . . .	6
pop . . . . .	6
sexRatio . . . . .	7
tfr . . . . .	8
UNlocations . . . . .	9
<b>Index</b>	<b>10</b>

---

wpp2008-package

*World Population Prospects 2008*

---

## Description

Data from the United Nations World Population Prospects 2008.

## Details

Package: wpp2008  
Version: 1.0-1  
Date: 2014-1-17  
Depends: R (>= 2.14.2)  
License: GPL (>= 2)  
URL: <http://esa.un.org/wpp/index.htm>

The package contains the following datasets:

- [tfr](#): estimates and projections of total fertility rate
- [e0F](#), [e0M](#): estimates of life expectancy
- [popF](#), [popM](#): age-specific population estimates
- [mxF](#), [mxM](#): age-specific mortality rates
- [migrationF](#), [migrationM](#): age-specific net migration (see note below)
- [sexRatio](#): sex ratio at birth as a ratio of female to male
- [percentASFR](#): distribution of age-specific fertility rates
- [UNlocations](#): location dataset

## Note

Distributions of net migrants by age and sex are provided for illustrative purpose only. Migration figures are based on intercensal net residuals and official statistics, population distribution by age and sex or simplified versions of Rogers-Castro migration age patterns, and incorporate statistical adjustment errors.

## Author(s)

Hana Sevcikova <[hanas@uw.edu](mailto:hanas@uw.edu)>, Patrick Gerland <[gerland@un.org](mailto:gerland@un.org)>

Maintainer: Hana Sevcikova <[hanas@uw.edu](mailto:hanas@uw.edu)>

## Source

These datasets are based on estimates and projections of United Nations, Department of Economic and Social Affairs, Population Division (2009).

**References**

World Population Prospects: The 2008 Revision. Special Tabulations.

**See Also**

[wpp2010](#) and [wpp2012](#) for more recent estimates and projections

---

e0

*United Nations Time Series of Life Expectancy*

---

**Description**

Datasets containing the United Nations time series of the life expectancy (e0) for all countries of the world as available in 2008. Datasets e0F contains estimates for female historical e0; e0M contains estimates for male historical e0.

**Usage**

`data(e0F)`

`data(e0M)`

**Format**

The datasets contain one record per country or region. They contain the following variables:

country Name of country or region (following ISO 3166 official short names in English - see [http://www.iso.org/iso/country\\_codes/iso\\_3166\\_code\\_lists/english\\_country\\_names\\_and\\_code\\_elements.htm](http://www.iso.org/iso/country_codes/iso_3166_code_lists/english_country_names_and_code_elements.htm) and United Nations Multilingual Terminology Database - see <http://unterm.un.org>).

country\_code Numerical Location Code (3-digit codes following ISO 3166-1 numeric standard) - see [http://en.wikipedia.org/wiki/ISO\\_3166-1\\_numeric](http://en.wikipedia.org/wiki/ISO_3166-1_numeric).

1950-1955, 1955-1960, ... Life expectancy in various five-year time intervals.

**Source**

These datasets are based on estimates and projections of United Nations, Department of Economic and Social Affairs, Population Division (2009).

**References**

World Population Prospects: The 2008 Revision. Special Tabulations.

**Examples**

`data(e0M)`

`head(e0M)`

---

migration

*Datasets on Migration*

---

### Description

Estimates and projections of male and female age-specific net migration.

### Usage

```
data(migrationM)
data(migrationF)
```

### Format

Data frames with one row per country and age group. For each country there are 21 age groups. It contains the following variables:

country Country name.

country\_code Numerical Location Code (3-digit codes following ISO 3166-1 numeric standard) - see [http://en.wikipedia.org/wiki/ISO\\_3166-1\\_numeric](http://en.wikipedia.org/wiki/ISO_3166-1_numeric).

age A character string representing an age interval. For each country there are 21 values: "0-4", "5-9", "10-14", "15-19", "20-24", "25-29", "30-34", "35-39", "40-44", "45-49", "50-54", "55-59", "60-64", "65-69", "70-74", "75-79", "80-84", "85-89", "90-94", "95-99", and "100+" in that order.

1990-1995, 1995-2000, 2000-2005, ... Net migration for the specific time period. Not available data are represented by an empty string.

### Note

Distributions of net migrants by age and sex are provided for illustrative purpose only. Migration figures are based on intercensal net residuals and official statistics, population distribution by age and sex or simplified versions of Rogers-Castro migration age patterns, and incorporate statistical adjustment errors.

### Source

These datasets are based on estimates and projections of United Nations, Department of Economic and Social Affairs, Population Division (2009).

### References

World Population Prospects: The 2008 Revision. Special Tabulations.

### Examples

```
data(migrationM)
str(migrationM)
```

---

mx *Age-specific Mortality Data*

---

**Description**

Age-specific data on mortality for male (mxM) and female (mxF).

**Usage**

```
data(mxM)
data(mxF)
```

**Format**

Data frames with one row per country and age group. For each country there are 22 age groups. It contains the following variables:

country Country name.

country\_code Numerical Location Code (3-digit codes following ISO 3166-1 numeric standard)  
- see [http://en.wikipedia.org/wiki/ISO\\_3166-1\\_numeric](http://en.wikipedia.org/wiki/ISO_3166-1_numeric).

age A character string representing an age interval (given by the starting age of the interval). For each country there are 22 values: "0", "1", "5", "10", "15", "20", "25", "30", "35", "40", "45", "50", "55", "60", "65", "70", "75", "80", "85", "90", "95", and "100+" in that order.

1950-1955, 1955-1960, ... Mortality rate for the given time period. Not available data are represented by an empty string.

**Source**

This dataset is based on estimates and projections of United Nations, Department of Economic and Social Affairs, Population Division (2009).

**References**

World Population Prospects: The 2008 Revision. Special Tabulations.

**Examples**

```
data(mxF)
str(mxF)
```

---

percentASFR

*Datasets on Age-specific Distribution of Fertility Rates*

---

### **Description**

Datasets giving the percentage of fertility rates over ages 15-50.

### **Usage**

```
data(percentASFR)
```

### **Format**

A data frame with one row per country and age group. For each country there are seven age groups. It contains columns country, country\_code, age and one column per time interval.

### **Source**

This dataset is based on estimates and projections of United Nations, Department of Economic and Social Affairs, Population Division (2009).

### **References**

World Population Prospects: The 2008 Revision. Special Tabulations.

### **Examples**

```
data(percentASFR)
str(percentASFR)
```

---

pop

*Estimates of Population Counts*

---

### **Description**

Datasets with age-specific male and female historical population estimates.

### **Usage**

```
data(popM)
data(popF)
```

**Format**

Data frames with one row per country and age group. For each country there are 21 age groups. It contains the following variables:

country Country name.

country\_code Numerical Location Code (3-digit codes following ISO 3166-1 numeric standard)  
- see [http://en.wikipedia.org/wiki/ISO\\_3166-1\\_numeric](http://en.wikipedia.org/wiki/ISO_3166-1_numeric).

age A character string representing an age interval. For each country there are 21 values: "0-4", "5-9", "10-14", "15-19", "20-24", "25-29", "30-34", "35-39", "40-44", "45-49", "50-54", "55-59", "60-64", "65-69", "70-74", "75-79", "80-84", "85-89", "90-94", "95-99", and "100+" in that order.

1950, 1955, ... Population estimate for the given time.

**Source**

These datasets are based on estimates and projections of United Nations, Department of Economic and Social Affairs, Population Division (2009).

**References**

World Population Prospects: The 2008 Revision. Special Tabulations.

**Examples**

```
data(popM)
str(popM)
```

---

sexRatio

*Sex Ratio at Birth*

---

**Description**

Estimates and projections of the sex ratio at birth derived as the number of female divided by the number of male.

**Usage**

```
data(sexRatio)
```

**Format**

A data frame with one record per country. It contains columns country, country\_code, and one columns per time interval.

**Source**

This dataset is based on estimates and projections of United Nations, Department of Economic and Social Affairs, Population Division (2009).

**References**

World Population Prospects: The 2008 Revision. Special Tabulations.

**Examples**

```
data(sexRatio)
str(sexRatio)
```

---

tfr

*United Nations Time Series of Total Fertility Rate*

---

**Description**

Datasets containing the United Nations time series of the total fertility rate (TFR) for all countries of the world as available in 2008.

**Usage**

```
data(tfr)
```

**Format**

The datasets contain one record per country or region. It contains the following variables:

country Name of country or region (following ISO 3166 official short names in English - see [http://www.iso.org/iso/country\\_codes/iso\\_3166\\_code\\_lists/english\\_country\\_names\\_and\\_code\\_elements.htm](http://www.iso.org/iso/country_codes/iso_3166_code_lists/english_country_names_and_code_elements.htm) and United Nations Multilingual Terminology Database - see <http://unterm.un.org>).

country\_code Numerical Location Code (3-digit codes following ISO 3166-1 numeric standard) - see [http://en.wikipedia.org/wiki/ISO\\_3166-1\\_numeric](http://en.wikipedia.org/wiki/ISO_3166-1_numeric).

1950-1955, 1955-1960, ... TFR in various five-year time intervals.

**Source**

These datasets are based on estimates and projections of United Nations, Department of Economic and Social Affairs, Population Division (2009).

**References**

World Population Prospects: The 2008 Revision. Special Tabulations.

**Examples**

```
data(tfr)
head(tfr)
```

---

UNlocations

*United Nations Table of Locations*

---

### Description

United Nations table of locations, including regions, as available in 2008.

### Usage

```
data(UNlocations)
```

### Format

A data frame with one observations per country or region. It contains the following seven variables:

name Name of country or region (following ISO 3166 official short names in English - see [http://www.iso.org/iso/country\\_codes/iso\\_3166\\_code\\_lists/english\\_country\\_names\\_and\\_code\\_elements.htm](http://www.iso.org/iso/country_codes/iso_3166_code_lists/english_country_names_and_code_elements.htm) and United Nations Multilingual Terminology Database - see <http://unterm.un.org>).

country\_code Numerical Location Code (3-digit codes following ISO 3166-1 numeric standard) - see [http://en.wikipedia.org/wiki/ISO\\_3166-1\\_numeric](http://en.wikipedia.org/wiki/ISO_3166-1_numeric).

reg\_code Code of the regions.

reg\_name Name of the regions.

area\_code Area code.

area\_name Area names, such as Africa, Asia, Europe Latin America and the Caribbean, Northern America, Oceania, World.

location\_type Code giving the type of the observation (0=World, 2=Major Area, 3=Region, 4=Country/Area, 5=Development group, 12=Special groupings).

### Source

Data provided by the United Nations Population Division

### Examples

```
data(UNlocations)
```

# Index

## \*Topic **datasets**

- e0, [3](#)
- migration, [4](#)
- mx, [5](#)
- percentASFR, [6](#)
- pop, [6](#)
- sexRatio, [7](#)
- tfr, [8](#)
- UNlocations, [9](#)

## \*Topic **package**

- wpp2008-package, [2](#)

- wpp2008 (wpp2008-package), [2](#)

- wpp2008-package, [2](#)

- wpp2010, [3](#)

- wpp2012, [3](#)

- e0, [3](#)

- e0F, [2](#)

- e0F (e0), [3](#)

- e0M, [2](#)

- e0M (e0), [3](#)

- migration, [4](#)

- migrationF, [2](#)

- migrationF (migration), [4](#)

- migrationM, [2](#)

- migrationM (migration), [4](#)

- mx, [5](#)

- mxF, [2](#)

- mxF (mx), [5](#)

- mxM, [2](#)

- mxM (mx), [5](#)

- percentASFR, [2, 6](#)

- pop, [6](#)

- popF, [2](#)

- popF (pop), [6](#)

- popM, [2](#)

- popM (pop), [6](#)

- sexRatio, [2, 7](#)

- tfr, [2, 8](#)

- UNlocations, [2, 9](#)